

ENFM USA Pricelist 2008

Series		Page	Diameter					
6000	Standard Pressure Gauges	1	1"	2"	2½"	4"		
6000	Standard Pressure Gauges	2	1"	2"	2½"	4"		
7010	Standard Pressure Gauges	3	1"	2"	2½"			
7110	Field Fillable Standard Pressure Gauges	4	1"	2"				
7110	Field Fillable Standard Pressure Gauges	5			2½"			
7110	Field Fillable Standard Pressure Gauges	6				4"		
7610	Field Fillable Industrial Pressure Gauges	7				4"		
7610	Field Fillable Industrial Pressure Gauges	8			2½"	4"	6"	
7210	Liquid Filled Standard Pressure Gauges	9	1"	2"				
7210	Liquid Filled Standard Pressure Gauges	10			2½"			
7210	Liquid Filled Standard Pressure Gauges	11				4"		
6210	Liquid Filled Standard Pressure Gauges	12				4"		
7710	Liquid Filled Industrial Pressure Gauges	13				4"		
7710	Liquid Filled Industrial Pressure Gauges	14			2½"	4"	6"	
7020/7220	Stainless Steel Pressure Gauges	15		2"				
7120	Field Fillable Standard Pressure Gauges	16			2½"			
7620	Field Fillable Stainless Steel Pressure Gauges	17			2½"	4"	6"	
7620	Field Fillable Stainless Steel Pressure Gauges	18			2½"	4"	6"	
6220	Liquid Filled Standard Pressure Gauges	19				4"		
7220	Liquid Filled Standard Pressure Gauges	20			2½"			
7720	Liquid Filled Stainless Steel Pressure Gauges	21			2½"	4"	6"	
7720	Liquid Filled Stainless Steel Pressure Gauges	22			2½"	4"	6"	
7770	Liquid Filled Industrial Stainless Steel Pressure Gauges	23			2½"	4"		
8620	Safety Pattern Stainless Steel Pressure Gauges	24			2½"	4"	6"	
8720	Liquid Filled Safety Pattern Stainless Steel Pressure Gauges	25			2½"	4"	6"	
8800	Process Gauges	26						4½"
8900	Liquid Filled Process Gauges	27						4½"
9510	Precision Test Gauges	28					6"	
6000A/6210A	Altitude Gauges	29				4"		
6000ISS	Internal Syphon Steam Gauges	30			2½"	4"		
7510R/7520R	Receiver Gauges	31			2½"	4"	6"	
8800	Receiver Process Gauges	32				4"		
7020/6020	NH ₃ Ammonia Gauges	33			2½"	4"		
7220/6220	NH ₃ Ammonia Gauges	33			2½"	4"		
5210	Liquid Filled Mining Gauges	34		2"				
7620/7720	3A Sanitary Gauges	35			2½"	4"		
2000	Economy Capsule Gauges	36			2½"	4"		
2510	Industrial Capsule Gauges	37			2½"	4"		
2520	Industrial Stainless Steel Capsule Gauges	38			2½"	4"		
1520	Mechanical Diaphragm Pressure Gauges	39				4"	6"	
5510/5520	Differential Pressure Gauges	40					6"	
05-100	Diaphragm Seals	41						
05-200	Diaphragm Seals	42						
05-500	Diaphragm Seals	42						
05-400	Diaphragm Seals	43						
05-700	Diaphragm Seals	43						
06-300	Adjustable Snubber	44						
06-310	Cintered Element Snubber	44						
06-400	Siphons	44						
06-500	Overrange Protector	44						
06-800	Protection Sleeves	45						
06-800	Maximum Slip Pointer	45						
06-800	ANSI Front Flange	45						
06-800	Panel Ring	45						
06-800	Electrical Contacts	45						
4100	Tridicator	46			2½"	3¼"		
4004	Bimetal Thermometer	47			2½"	3¼"	4"	



Standard Pressure Gauges



Series	6000									
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy	steel, black black crimped aluminum white aluminum with black markings black aluminum acrylic phosforbronze brass brass 1.6									
Execution										
Series	6001					6004				
Case size	1 1/2"	2"	2 1/2"	4"		1 1/2"	2"	2 1/2"	4"	
Connection	1/8" npt		1/4" npt			1/8" npt		1/4" npt		
Scale	psi/bar/kPa									
Unit Price in US \$	21.60	23.20	23.20	24.20	34.50	21.50	23.10	23.10	25.10	35.50
Article number	ND123A0B	ND123A1B	ND123A1E	ND123A3E	ND123A5E	ND123C0B	ND123C1B	ND123C1E	ND123C3E	ND123C5E
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg
0-10 psi	-	-	-	300kg	300kg	-	-	-	300kg	300kg
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	19.40	20.40	20.40	21.80	32.80	19.30	20.40	20.40	22.20	33.50
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	24.30	25.40	25.40	27.10	35.60	24.20	25.30	25.30	30.60	36.50
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
Additional Price in US \$										
Bezel, polished	4.40	4.40	4.40	4.40	8.00	4.40	4.40	4.40	4.40	8.00
Snubber	2.75									

Standard Pressure Gauges



Series	6000						
Case	steel, black						
Bezel	black crimped aluminum						
Dial	white aluminum with black markings						
Pointer	black aluminum						
Window	acrylic						
Bourdontube	phosforbronze						
Connection	brass						
Movement	brass						
Accuracy	1,6						
Mounting option	frontflange			U - Clamp			
Execution							
Series	6006				6007UB		
Case size	1 1/2"	2"	2 1/2"	4"	1 1/2"	2"	2 1/2"
Connection	1/8" npt	1/4" npt			1/8" npt	1/4" npt	
Scale	psi/bar/kPa						
Unit Price in US \$	33.70	35.30	36.60	55.20	34.30	35.90	38.30
Article number	ND123D0B	ND123D1E	ND123D3E	ND123D5E	ND133F0E	ND133F1E	ND123F3E
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg	212kg
0-10 psi	-	-	300kg	300kg	-	-	300kg
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	31.50	32.50	33.80	53.20	32.10	33.10	35.50
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	36.40	37.40	42.20	56.40	37.00	38.00	44.00
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg
Additional Price in US \$							
Snubber	2.75						

Standard Pressure Gauges



Series	7010								
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy	stainless steel crimped stainless steel white aluminum with black markings black aluminum acrylic phosforbronze brass brass 1,6								
Execution									
Series	7011			7014			7017UB		
Case size	1 1/2"	2"	2 1/2"	1 1/2"	2"	2 1/2"	1 1/2"	2"	2 1/2"
Connection	1/8"npt	1/4"npt		1/8"npt	1/4"npt		1/8"npt	1/4"npt	
Scale	psi/bar/kPa								
Unit Price in US \$	28.50	29.80	32.00	28.50	29.50	33.80	41.30	42.50	45.40
Article number	ND132A0B	ND132A1E	RD132A3E	ND132C0B	ND132C1E	RD132C3E	ND132F0B	ND132F1E	ND132F3E
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg
0-10 psi	-	-	300kg	-	-	300kg	-	-	300kg
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	25.90	26.80	29.10	25.60	26.60	30.60	38.60	39.60	42.40
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	28.90	30.00	32.30	28.90	29.70	34.40	41.60	42.80	45.70
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
Additional Price in US \$									
Snubber	2.75								

Field Fillable Standard Pressure Gauges



Series	7110							
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy Mounting option	stainless steel with fill plug crimped stainless steel white aluminum with black markings black aluminum acrylic phosphorbronze brass with snubber brass 1,6 Frontflange U - Clamp							
Execution								
Series	7111		7114		7116		7117	
Case size	1 1/2"	2"	1 1/2"	2"	1 1/2"	2"	1 1/2"	2"
Connection	1/8"npt	1/4"npt	1/8"npt	1/4"npt	1/8"npt	1/4"npt	1/8"npt	1/4"npt
Scale	psi/bar/kPa							
Unit Price in US \$	42.90	42.40	43.10	42.20	55.20	54.30	55.80	54.90
Article number	RW132A0K	RW132A1N	RW132C0K	RW132C1N	RW132D0K	RW132D1N	RW132F0K	RW132F1N
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	39.30	37.90	38.70	38.50	50.90	50.70	51.50	51.20
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	42.40	42.30	41.50	41.50	53.70	53.70	54.20	54.20
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	59.10	60.10						
0-10000 psi	334kg	334kg						
0-15000 psi	335kg	335kg						

Field Fillable Standard Pressure Gauges



Series	7110									
Case	stainless steel with fill plug									
Bezel	crimped stainless steel									
Dial	white aluminum with black markings									
Pointer	black aluminum									
Window	acrylic									
Bourdontube	phosphorbronze									
Connection	brass	brass with snubber								
Movement	brass									
Accuracy	1,6									
Mounting option			backflange	frontflange	U - Clamp			frontflange	U - Clamp	
Execution										
Series	7111	7111	7114	7112	7116	7117	7111	7114	7116	7117
Case size	2 1/2"									
Connection	1/4" npt					SAE 7/16" 20				
Scale	psi	psi/bar/kPa								
Unit Price in US \$	37.50	37.50	39.10	54.90	50.70	52.40	65.60	66.40	77.30	80.40
Article number	RW132A3E	RW132A3N	RW132C3N	RW132B3N	RW132D3N	RW132F3N	RW132A3Z	RW132C3Z	RW132D3Z	RW132F3Z
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg				
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg				
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg				
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg				
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg				
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg				
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg				
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg				
Unit Price in US \$	33.60	33.60	36.60	51.00	48.10	49.80	63.50	63.20	73.80	77.00
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg				
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg				
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	35.20	35.20	38.90	52.60	50.40	52.20	66.10	65.10	75.80	79.00
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	44.10	44.10	51.70	61.50	63.40	65.10	71.70	81.80	93.40	93.30
0-10000 psi	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg

Field Fillable Standard Pressure Gauges



Series	7110						
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy Mounting option	stainless steel with fill plug crimped stainless steel white aluminum with black markings black aluminum acrylic phosforbronze brass brass with snubber brass 1,0 backflange frontflange U - Clamp						
Execution							
Series	7111	7111	7111	7115	7112	7118	7119
Case size	4 "						
Connection	1/2" npt	1/4" npt	1/2" npt				
Scale	psi	psi/bar/kPa					
Unit Price in US \$	110.20	110.20	110.20	116.50	139.80	136.20	140.90
Article number	RW132A5H	RW132A5N	RW132A5Q	RW132G5Q	RW132B5Q	RW132H5Q	RW132J5Q
-30"HG/0	000kb	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kb	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kb	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kb	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kb	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kb	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kb	212kg	212kg	212kg	212kg	212kg	212kg
0-15 psi	301kb	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	102.20	102.20	102.20	110.20	131.90	129.90	134.60
0-30 psi	303kb	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kb	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kb	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kb	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kb	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kb	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kb	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kb	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kb	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	111.40	111.40	111.40	117.20	141.10	137.00	141.50
0-1000 psi	323kb	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kb	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kb	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kb	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kb	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kb	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kb	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	120.20	120.20	120.20	125.80	150.00	145.60	150.30
0-10000 psi	334kb	334kg	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kb	335kg	335kg	335kg	335kg	335kg	335kg

Field Fillable Industrial Pressure Gauges



Series	7610									
Case	stainless steel with blow out									
Bezel	bayonet ring, stainless steel									
Dial	white aluminum with black markings									
Pointer	black aluminum									
Window	acrylic									
Bourdontube	phosforbronze									
Connection	brass with snubber									
Movement	brass									
Accuracy	1,0									
Mounting option	backflange			frontflange			U - Clamp			
Execution										
Series	7611 7615 7612 7618 7619									
Case size	4"									
Connection	1/4"npt	1/2"npt	1/4"npt	1/2"npt	1/4"npt	1/2"npt	1/4"npt	1/2"npt	1/4"npt	1/2"npt
Scale	psi/bar/kPa									
Unit Price in US \$	120.10	120.10	124.90	124.90	149.80	149.80	144.50	144.50	149.20	149.20
Article number	RW166A5N	RW166A5Q	RW166G5N	RW166G5Q	RW166B5N	RW166B5Q	RW166H5N	RW166H5Q	RW166J5N	RW166J5Q
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	115.70	115.70	122.30	122.30	145.40	145.40	142.00	142.00	146.60	146.60
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	121.90	121.90	127.50	127.50	151.40	151.40	147.20	147.20	151.90	151.90
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	127.10	127.10	137.90	137.90	156.80	156.80	157.70	157.70	162.30	162.30
0-10000 psi	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg
Additional Price in US \$										
safety glass	11.90									

Field Fillable Industrial Pressure Gauges



Series	7610																																																																																																																																																																																																							
Case	stainless steel with fill plug and blow out																																																																																																																																																																																																							
Bezel	bayonet ring, stainless steel																																																																																																																																																																																																							
Dial	white aluminum with black markings																																																																																																																																																																																																							
Pointer	black aluminum																																																																																																																																																																																																							
Window	safety glass				acrylic																																																																																																																																																																																																			
Bourdontube	phosforbronze																																																																																																																																																																																																							
Connection	brass				brass with snubber																																																																																																																																																																																																			
Movement	brass																																																																																																																																																																																																							
Accuracy	1,6	1,0																																																																																																																																																																																																						
Mounting option	<table border="1"> <thead> <tr> <th></th> <th colspan="4">1,0</th> </tr> <tr> <th></th> <th>backflange</th> <th>frontflange</th> <th colspan="2">U - Clamp</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7611</td> <td>7615</td> <td>7612</td> <td>7618</td> <td>7619</td> </tr> <tr> <td colspan="5" style="text-align: center;">6"</td> </tr> <tr> <td colspan="5" style="text-align: center;">1/2" npt</td> </tr> <tr> <td colspan="5" style="text-align: center;">psi/bar/kPa</td> </tr> <tr> <td>199.80</td> <td>208.20</td> <td>237.30</td> <td>240.30</td> <td>249.80</td> </tr> <tr> <td>RW166A6Q</td> <td>RW166G6Q</td> <td>RW166B6Q</td> <td>RW166H6Q</td> <td>RW166J6Q</td> </tr> <tr> <td>000kg</td> <td>000kg</td> <td>000kg</td> <td>000kg</td> <td>000kg</td> </tr> <tr> <td>201kg</td> <td>201kg</td> <td>201kg</td> <td>201kg</td> <td>201kg</td> </tr> <tr> <td>203kg</td> <td>203kg</td> <td>203kg</td> <td>203kg</td> <td>203kg</td> </tr> <tr> <td>205kg</td> <td>205kg</td> <td>205kg</td> <td>205kg</td> <td>205kg</td> </tr> <tr> <td>208kg</td> <td>208kg</td> <td>208kg</td> <td>208kg</td> <td>208kg</td> </tr> <tr> <td>210kg</td> <td>210kg</td> <td>210kg</td> <td>210kg</td> <td>210kg</td> </tr> <tr> <td>212kg</td> <td>212kg</td> <td>212kg</td> <td>212kg</td> <td>212kg</td> </tr> <tr> <td>301kg</td> <td>301kg</td> <td>301kg</td> <td>301kg</td> <td>301kg</td> </tr> <tr> <td>191.80</td> <td>201.30</td> <td>229.30</td> <td>233.40</td> <td>242.90</td> </tr> <tr> <td>303kg</td> <td>303kg</td> <td>303kg</td> <td>303kg</td> <td>303kg</td> </tr> <tr> <td>306kg</td> <td>306kg</td> <td>306kg</td> <td>306kg</td> <td>306kg</td> </tr> <tr> <td>309kg</td> <td>309kg</td> <td>309kg</td> <td>309kg</td> <td>309kg</td> </tr> <tr> <td>312kg</td> <td>312kg</td> <td>312kg</td> <td>312kg</td> <td>312kg</td> </tr> <tr> <td>314kg</td> <td>314kg</td> <td>314kg</td> <td>314kg</td> <td>314kg</td> </tr> <tr> <td>317kg</td> <td>317kg</td> <td>317kg</td> <td>317kg</td> <td>317kg</td> </tr> <tr> <td>319kg</td> <td>319kg</td> <td>319kg</td> <td>319kg</td> <td>319kg</td> </tr> <tr> <td>320kg</td> <td>320kg</td> <td>320kg</td> <td>320kg</td> <td>320kg</td> </tr> <tr> <td>321kg</td> <td>321kg</td> <td>321kg</td> <td>321kg</td> <td>321kg</td> </tr> <tr> <td>212.50</td> <td>222.30</td> <td>250.00</td> <td>254.40</td> <td>263.80</td> </tr> <tr> <td>323kg</td> <td>323kg</td> <td>323kg</td> <td>323kg</td> <td>323kg</td> </tr> <tr> <td>324kg</td> <td>324kg</td> <td>324kg</td> <td>324kg</td> <td>324kg</td> </tr> <tr> <td>325kg</td> <td>325kg</td> <td>325kg</td> <td>325kg</td> <td>325kg</td> </tr> <tr> <td>327kg</td> <td>327kg</td> <td>327kg</td> <td>327kg</td> <td>327kg</td> </tr> <tr> <td>329kg</td> <td>329kg</td> <td>329kg</td> <td>329kg</td> <td>329kg</td> </tr> <tr> <td>331kg</td> <td>331kg</td> <td>331kg</td> <td>331kg</td> <td>331kg</td> </tr> <tr> <td>332kg</td> <td>332kg</td> <td>332kg</td> <td>332kg</td> <td>332kg</td> </tr> <tr> <td>213.50</td> <td>236.70</td> <td>250.90</td> <td>268.70</td> <td>278.00</td> </tr> <tr> <td>334kg</td> <td>334kg</td> <td>334kg</td> <td>334kg</td> <td>334kg</td> </tr> <tr> <td>335kg</td> <td>335kg</td> <td>335kg</td> <td>335kg</td> <td>335kg</td> </tr> <tr> <td colspan="5" style="text-align: center;">20.30</td> </tr> </tbody> </table>						1,0					backflange	frontflange	U - Clamp							7611	7615	7612	7618	7619	6"					1/2" npt					psi/bar/kPa					199.80	208.20	237.30	240.30	249.80	RW166A6Q	RW166G6Q	RW166B6Q	RW166H6Q	RW166J6Q	000kg	000kg	000kg	000kg	000kg	201kg	201kg	201kg	201kg	201kg	203kg	203kg	203kg	203kg	203kg	205kg	205kg	205kg	205kg	205kg	208kg	208kg	208kg	208kg	208kg	210kg	210kg	210kg	210kg	210kg	212kg	212kg	212kg	212kg	212kg	301kg	301kg	301kg	301kg	301kg	191.80	201.30	229.30	233.40	242.90	303kg	303kg	303kg	303kg	303kg	306kg	306kg	306kg	306kg	306kg	309kg	309kg	309kg	309kg	309kg	312kg	312kg	312kg	312kg	312kg	314kg	314kg	314kg	314kg	314kg	317kg	317kg	317kg	317kg	317kg	319kg	319kg	319kg	319kg	319kg	320kg	320kg	320kg	320kg	320kg	321kg	321kg	321kg	321kg	321kg	212.50	222.30	250.00	254.40	263.80	323kg	323kg	323kg	323kg	323kg	324kg	324kg	324kg	324kg	324kg	325kg	325kg	325kg	325kg	325kg	327kg	327kg	327kg	327kg	327kg	329kg	329kg	329kg	329kg	329kg	331kg	331kg	331kg	331kg	331kg	332kg	332kg	332kg	332kg	332kg	213.50	236.70	250.90	268.70	278.00	334kg	334kg	334kg	334kg	334kg	335kg	335kg	335kg	335kg	335kg	20.30				
	1,0																																																																																																																																																																																																							
	backflange	frontflange	U - Clamp																																																																																																																																																																																																					
7611	7615	7612	7618	7619																																																																																																																																																																																																				
6"																																																																																																																																																																																																								
1/2" npt																																																																																																																																																																																																								
psi/bar/kPa																																																																																																																																																																																																								
199.80	208.20	237.30	240.30	249.80																																																																																																																																																																																																				
RW166A6Q	RW166G6Q	RW166B6Q	RW166H6Q	RW166J6Q																																																																																																																																																																																																				
000kg	000kg	000kg	000kg	000kg																																																																																																																																																																																																				
201kg	201kg	201kg	201kg	201kg																																																																																																																																																																																																				
203kg	203kg	203kg	203kg	203kg																																																																																																																																																																																																				
205kg	205kg	205kg	205kg	205kg																																																																																																																																																																																																				
208kg	208kg	208kg	208kg	208kg																																																																																																																																																																																																				
210kg	210kg	210kg	210kg	210kg																																																																																																																																																																																																				
212kg	212kg	212kg	212kg	212kg																																																																																																																																																																																																				
301kg	301kg	301kg	301kg	301kg																																																																																																																																																																																																				
191.80	201.30	229.30	233.40	242.90																																																																																																																																																																																																				
303kg	303kg	303kg	303kg	303kg																																																																																																																																																																																																				
306kg	306kg	306kg	306kg	306kg																																																																																																																																																																																																				
309kg	309kg	309kg	309kg	309kg																																																																																																																																																																																																				
312kg	312kg	312kg	312kg	312kg																																																																																																																																																																																																				
314kg	314kg	314kg	314kg	314kg																																																																																																																																																																																																				
317kg	317kg	317kg	317kg	317kg																																																																																																																																																																																																				
319kg	319kg	319kg	319kg	319kg																																																																																																																																																																																																				
320kg	320kg	320kg	320kg	320kg																																																																																																																																																																																																				
321kg	321kg	321kg	321kg	321kg																																																																																																																																																																																																				
212.50	222.30	250.00	254.40	263.80																																																																																																																																																																																																				
323kg	323kg	323kg	323kg	323kg																																																																																																																																																																																																				
324kg	324kg	324kg	324kg	324kg																																																																																																																																																																																																				
325kg	325kg	325kg	325kg	325kg																																																																																																																																																																																																				
327kg	327kg	327kg	327kg	327kg																																																																																																																																																																																																				
329kg	329kg	329kg	329kg	329kg																																																																																																																																																																																																				
331kg	331kg	331kg	331kg	331kg																																																																																																																																																																																																				
332kg	332kg	332kg	332kg	332kg																																																																																																																																																																																																				
213.50	236.70	250.90	268.70	278.00																																																																																																																																																																																																				
334kg	334kg	334kg	334kg	334kg																																																																																																																																																																																																				
335kg	335kg	335kg	335kg	335kg																																																																																																																																																																																																				
20.30																																																																																																																																																																																																								
Execution																																																																																																																																																																																																								
Series	7611																																																																																																																																																																																																							
Case size	2 1/2"	4"																																																																																																																																																																																																						
Connection	1/4" npt	1/2" npt																																																																																																																																																																																																						
Scale	psi																																																																																																																																																																																																							
Unit Price in US \$	53.40	120.10																																																																																																																																																																																																						
Article number	RW166A3E	RW166A5H																																																																																																																																																																																																						
-30"HG/0	000kb	000kb																																																																																																																																																																																																						
-30"HG/0/15 psi	201kb	201kb																																																																																																																																																																																																						
-30"HG/0/30 psi	203kb	203kb																																																																																																																																																																																																						
-30"HG/0/60 psi	205kb	205kb																																																																																																																																																																																																						
-30"HG/0/100 psi	208kb	208kb																																																																																																																																																																																																						
-30"HG/0/150 psi	210kb	210kb																																																																																																																																																																																																						
-30"HG/0/200 psi	212kb	212kb																																																																																																																																																																																																						
0-15 psi	301kb	301kb																																																																																																																																																																																																						
Unit Price in US \$	51.00	115.70																																																																																																																																																																																																						
0-30 psi	303kb	303kb																																																																																																																																																																																																						
0-60 psi	306kb	306kb																																																																																																																																																																																																						
0-100 psi	309kb	309kb																																																																																																																																																																																																						
0-160 psi	312kb	312kb																																																																																																																																																																																																						
0-200 psi	314kb	314kb																																																																																																																																																																																																						
0-300 psi	317kb	317kb																																																																																																																																																																																																						
0-400 psi	319kb	319kb																																																																																																																																																																																																						
0-500 psi	320kb	320kb																																																																																																																																																																																																						
0-600 psi	321kb	321kb																																																																																																																																																																																																						
Unit Price in US \$	52.60	121.90																																																																																																																																																																																																						
0-1000 psi	323kb	323kb																																																																																																																																																																																																						
0-1500 psi	324kb	324kb																																																																																																																																																																																																						
0-2000 psi	325kb	325kb																																																																																																																																																																																																						
0-3000 psi	327kb	327kb																																																																																																																																																																																																						
0-4000 psi	329kb	329kb																																																																																																																																																																																																						
0-5000 psi	331kb	331kb																																																																																																																																																																																																						
0-6000 psi	332kb	332kb																																																																																																																																																																																																						
Unit Price in US \$	61.10	127.10																																																																																																																																																																																																						
0-10000 psi	334kb	334kb																																																																																																																																																																																																						
0-15000 psi	335kb	335kb																																																																																																																																																																																																						
Additional Price in US \$																																																																																																																																																																																																								
safety glass	-	-																																																																																																																																																																																																						

Liquid Filled Standard Pressure Gauges



Series	7210							
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy Mounting option	stainless steel with fill plug crimped stainless steel white aluminum with black markings black aluminum acrylic phosphorbronze brass with snubber brass 1,6 Frontflange U - Clamp							
Execution								
Series	7211		7214		7216		7217	
Case size	1 1/2"	2"	1 1/2"	2"	1 1/2"	2"	1 1/2"	2"
Connection	1/8"npt	1/4"npt	1/8"npt	1/4"npt	1/8"npt	1/4"npt	1/8"npt	1/4"npt
Scale	psi/bar/kPa							
Unit Price in US \$	45.70	45.70	46.20	45.60	58.30	57.70	58.90	58.30
Article number	RV132A0K	RV132A1N	RV132C0K	RV132C1N	RV132D0K	RV132D1N	RV132F0K	RV132F1N
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	42.00	41.10	41.60	41.80	53.80	53.90	54.40	54.50
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	45.10	45.50	44.40	44.80	56.50	56.90	57.10	57.50
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	61.80	63.50						
0-10000 psi	334kg	334kg						
0-15000 psi	335kg	335kg						

Liquid Filled Standard Pressure Gauges



Series	7210									
Case	stainless steel with fill plug									
Bezel	crimped stainless steel									
Dial	white aluminum with black markings									
Pointer	black aluminum									
Window	acrylic									
Bourdontube	phosphorbronze									
Connection	brass brass with snubber									
Movement	brass									
Accuracy	1,6									
Mounting option			backflange	frontflange	U - Clamp			frontflange	U - Clamp	
Execution										
Series	7211	7211	7214	7212	7216	7217	7211	7214	7216	7217
Case size	2 1/2"									
Connection	1/4" npt					SAE 7/16" 20				
Scale	psi		psi/bar/kPa							
Unit Price in US \$	41.00	41.00	42.70	58.40	54.20	56.00	70.70	71.60	82.80	85.80
Article number	RV132A3E	RV132A3N	RV132C3N	RV132B3N	RV132D3N	RV132F3N	RV132A3Z	RV132C3Z	RV132D3Z	RV132F3Z
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg				
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg				
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg				
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg				
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg				
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg				
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg				
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg				
Unit Price in US \$	36.80	36.80	40.10	54.20	51.70	53.50	68.70	68.40	79.40	82.50
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg				
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg				
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	38.50	38.50	42.50	55.90	54.20	55.90	71.30	70.20	81.40	84.40
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	47.30	47.30	55.50	64.80	67.00	68.80	76.30	87.00	99.00	98.60
0-10000 psi	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg

Liquid Filled Standard Pressure Gauges



Series	7210						
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy Mounting option	stainless steel with fill plug crimped stainless steel white aluminum with black markings black aluminum acrylic phosforbronze brass brass with snubber brass 1,0 <div style="display: flex; justify-content: space-around; font-size: small;"> backflange frontflange U - Clamp </div>						
Execution							
Series	7211	7211	7211	7215	7212	7218	7219
Case size	4 "						
Connection	1/2" npt	1/4" npt	1/2" npt				
Scale	psi	psi/bar/kPa					
Unit Price in US \$	125.30	125.30	125.30	131.90	155.10	151.50	156.10
Article number	RV132A5H	RV132A5N	RV132A5Q	RV132G5Q	RV132B5Q	RV132H5Q	RV132J5Q
-30"HG/0	000kb	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kb	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kb	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kb	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kb	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kb	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kb	212kg	212kg	212kg	212kg	212kg	212kg
0-15 psi	301kb	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	117.20	117.20	117.20	125.30	147.00	145.10	149.60
0-30 psi	303kb	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kb	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kb	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kb	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kb	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kb	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kb	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kb	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kb	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	125.60	125.60	125.60	132.00	155.40	151.80	156.40
0-1000 psi	323kb	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kb	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kb	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kb	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kb	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kb	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kb	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	135.20	135.20	135.20	141.10	165.10	160.90	165.50
0-10000 psi	334kb	334kg	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kb	335kg	335kg	335kg	335kg	335kg	335kg

Liquid Filled Standard Pressure Gauges



Series	6210				
Case	stainless steel with fill plug				
Bezel	crimped stainless steel				
Dial	white aluminum with black markings				
Pointer	black aluminum				
Window	acrylic				
Bourdontube	phosforbronze				
Connection	brass with snubber				
Movement	brass				
Accuracy	1,6				
Mounting option		Backflange		Frontflange	U - Clamp
Execution					
Series	6211	6214	6212	6216	6217
Case size	4"				
Connection	1/4" npt				
Scale	psi/bar/kPa				
Unit Price in US \$	72.20	72.00	101.70	91.70	96.30
Article number	NV132A5N	NV132C5N	NV132B5N	NV132D5N	NV132F5N
-30"HG/0	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg
0-10 psi	300kg	300kg	300kg	300kg	300kg
0-15 psi	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	70.50	70.10	99.80	89.90	94.50
0-30 psi	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	75.20	75.00	104.60	94.70	99.30
0-1000 psi	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	81.90	80.60	111.30	100.40	105.10
0-10000 psi	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kg	335kg	335kg	335kg	335kg








Liquid Filled Industrial Pressure Gauges



Series	7710									
Case Bezel Dial Pointer Window Bourdotube Connection Movement Accuracy Mounting option	stainless steel with blow out bayonet ring, stainless steel white aluminum with black markings black aluminum acrylic phosphorbronze brass with snubber brass 1,0 backflange frontflange U - Clamp									
Execution										
Series	7711 7715 7712 7718 7719									
Case size	4"									
Connection	1/4" npt	1/2" npt	1/4" npt	1/2" npt	1/4" npt	1/2" npt	1/4" npt	1/2" npt	1/4" npt	1/2" npt
Scale	psi/bar/kPa									
Unit Price in US \$	135.20	135.20	141.60	141.60	165.00	165.00	161.40	161.40	166.00	166.00
Article number	RV166A5N	RV166A5Q	RV166G5N	RV166G5Q	RV166B5N	RV166B5Q	RV166H5N	RV166H5Q	RV166J5N	RV166J5Q
-30"HG/0	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg	212kg
0-15 psi	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	129.60	129.60	136.50	136.50	159.30	159.30	156.30	156.30	160.90	160.90
0-30 psi	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	135.80	135.80	141.50	141.50	165.60	165.60	161.10	161.10	165.80	165.80
0-1000 psi	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	141.30	141.30	152.40	152.40	171.30	171.30	172.20	172.20	176.90	176.90
0-10000 psi	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg	335kg
Additional Price in US \$										
safety glass	11.90									





Liquid Filled Industrial Pressure Gauges



Series	7710				
Case	stainless steel with fill plug and blow out				
Bezel	bayonet ring, stainless steel				
Dial	white aluminum with black markings				
Pointer	black aluminum				
Window	safety glass		acrylic		
Bourdontube	phosforbronze				
Connection	brass		brass with snubber		
Movement	brass				
Accuracy	1,6 1,0		1,0		
Mounting option			backflange frontflange U - Clamp		
Execution	 		    		
Series	7711				
Case size	2 1/2" 4"		6"		
Connection	1/4" npt 1/2" npt		1/2" npt		
Scale	psi		psi/bar/kPa		
Unit Price in US \$	56.60 135.20		251.90 260.30 289.50 292.10 301.80		
Article number	RV166A3E RV166A5H		RV166A6Q RV166G6Q RV166B6Q RV166H6Q RV166J6Q		
-30"HG/0	000kb 000kb		000kg 000kg 000kg 000kg 000kg		
-30"HG/0/15 psi	201kb 201kb		201kg 201kg 201kg 201kg 201kg		
-30"HG/0/30 psi	203kb 203kb		203kg 203kg 203kg 203kg 203kg		
-30"HG/0/60 psi	205kb 205kb		205kg 205kg 205kg 205kg 205kg		
-30"HG/0/100 psi	208kb 208kb		208kg 208kg 208kg 208kg 208kg		
-30"HG/0/150 psi	210kb 210kb		210kg 210kg 210kg 210kg 210kg		
-30"HG/0/200 psi	212kb 212kb		212kg 212kg 212kg 212kg 212kg		
0-15 psi	301kb 301kb		301kg 301kg 301kg 301kg 301kg		
Unit Price in US \$	54.20 129.60		242.70 251.50 280.40 283.30 293.00		
0-30 psi	303kb 303kb		303kg 303kg 303kg 303kg 303kg		
0-60 psi	306kb 306kb		306kg 306kg 306kg 306kg 306kg		
0-100 psi	309kb 309kb		309kg 309kg 309kg 309kg 309kg		
0-160 psi	312kb 312kb		312kg 312kg 312kg 312kg 312kg		
0-200 psi	314kb 314kb		314kg 314kg 314kg 314kg 314kg		
0-300 psi	317kb 317kb		317kg 317kg 317kg 317kg 317kg		
0-400 psi	319kb 319kb		319kg 319kg 319kg 319kg 319kg		
0-500 psi	320kb 320kb		320kg 320kg 320kg 320kg 320kg		
0-600 psi	321kb 321kb		321kg 321kg 321kg 321kg 321kg		
Unit Price in US \$	55.70 135.80		261.70 270.60 299.30 302.50 312.20		
0-1000 psi	323kb 323kb		323kg 323kg 323kg 323kg 323kg		
0-1500 psi	324kb 324kb		324kg 324kg 324kg 324kg 324kg		
0-2000 psi	325kb 325kb		325kg 325kg 325kg 325kg 325kg		
0-3000 psi	327kb 327kb		327kg 327kg 327kg 327kg 327kg		
0-4000 psi	329kb 329kb		329kg 329kg 329kg 329kg 329kg		
0-5000 psi	331kb 331kb		331kg 331kg 331kg 331kg 331kg		
0-6000 psi	332kb 332kb		332kg 332kg 332kg 332kg 332kg		
Unit Price in US \$	64.20 141.30		261.70 285.00 299.30 317.10 326.40		
0-10000 psi	334kb 334kb		334kg 334kg 334kg 334kg 334kg		
0-15000 psi	335kb 335kb		335kg 335kg 335kg 335kg 335kg		
Additional Price in US \$					
safety glass	- -		20.30		

Stainless Steel Pressure Gauges




Series	7020		7220	
Case	stainless steel, dry		stainless steel, liquid filled	
Bezel	crimped stainless steel			
Dial	white aluminum with black markings			
Pointer	black aluminum			
Window	acrylic			
Bourdontube	stainless steel			
Connection	stainless steel			
Movement	stainless steel			
Accuracy	1.6			
Execution				
Series	7021		7221	
Case size	2"			
Connection	1/8"npt	1/4"npt	1/8"npt	1/4"npt
Scale	psi/bar/kPa			
Unit Price in US \$	108.90	108.90	120.00	120.00
Article number	RD232A1B	RD232A1E	RV232A1B	RV232A1E
-30"HG/0	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kg	212kg	212kg	212kg
0-15 psi	301kg	301kg	301kg	301kg
Unit Price in US \$	106.10	106.10	117.00	117.00
0-30 psi	303kg	303kg	303kg	303kg
0-60 psi	306kg	306kg	306kg	306kg
0-100 psi	309kg	309kg	309kg	309kg
0-160 psi	312kg	312kg	312kg	312kg
0-200 psi	314kg	314kg	314kg	314kg
0-300 psi	317kg	317kg	317kg	317kg
0-400 psi	319kg	319kg	319kg	319kg
0-500 psi	320kg	320kg	320kg	320kg
0-600 psi	321kg	321kg	321kg	321kg
Additional Price in US \$				
Snubber, stainless steel	8.50			

Field Fillable Standard Pressure Gauges



Series	7120							
Case	stainless steel with fill plug							
Bezel	crimped stainless steel							
Dial	white aluminum with black markings							
Pointer	black aluminum							
Window	acrylic							
Bourdontube	stainless steel							
Connection	stainless steel							
Movement	stainless steel							
Accuracy	1,6							
Mounting option		Frontflange	U - Clamp		Frontflange	U - Clamp		



Series	7121	7125	7128	7129	7121	7125	7128	7129
Case size	2 1/2"							
Connection	1/4" npt							
Scale	psi				psi/bar/kPa			

Unit Price in US \$	98.40	103.40	115.00	116.70	98.40	103.40	111.00	116.70
----------------------------	--------------	---------------	---------------	---------------	--------------	---------------	---------------	---------------

Article number	RW232A3E	RW232G3E	RW232H3E	RW232J3E	RW232A3E	RW232G3E	RW232H3E	RW232J3E
-----------------------	----------	----------	----------	----------	----------	----------	----------	----------

-30"HG/0	000kb	000kb	000kb	000kb	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kb	201kb	201kb	201kb	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kb	203kb	203kb	203kb	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kb	205kb	205kb	205kb	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kb	208kb	208kb	208kb	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kb	210kb	210kb	210kb	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kb	212kb	212kb	212kb	212kg	212kg	212kg	212kg
0-15 psi	301kb	301kb	301kb	301kb	301kg	301kg	301kg	301kg

Unit Price in US \$	92.20	96.90	108.50	110.20	92.20	96.90	108.50	110.20
----------------------------	--------------	--------------	---------------	---------------	--------------	--------------	---------------	---------------

0-30 psi	303kb	303kb	303kb	303kb	303kg	303kg	303kg	303kg
0-60 psi	306kb	306kb	306kb	306kb	306kg	306kg	306kg	306kg
0-100 psi	309kb	309kb	309kb	309kb	309kg	309kg	309kg	309kg
0-160 psi	312kb	312kb	312kb	312kb	312kg	312kg	312kg	312kg
0-200 psi	314kb	314kb	314kb	314kb	314kg	314kg	314kg	314kg
0-300 psi	317kb	317kb	317kb	317kb	317kg	317kg	317kg	317kg
0-400 psi	319kb	319kb	319kb	319kb	319kg	319kg	319kg	319kg
0-500 psi	320kb	320kb	320kb	320kb	320kg	320kg	320kg	320kg
0-600 psi	321kb	321kb	321kb	321kb	321kg	321kg	321kg	321kg

Unit Price in US \$	99.00	101.00	112.70	114.50	99.00	101.00	112.10	114.50
----------------------------	--------------	---------------	---------------	---------------	--------------	---------------	---------------	---------------

0-1000 psi	323kb	323kb	323kb	323kb	323kg	323kg	323kg	323kg
0-1500 psi	324kb	324kb	324kb	324kb	324kg	324kg	324kg	324kg
0-2000 psi	325kb	325kb	325kb	325kb	325kg	325kg	325kg	325kg
0-3000 psi	327kb	327kb	327kb	327kb	327kg	327kg	327kg	327kg
0-4000 psi	329kb	329kb	329kb	329kb	329kg	329kg	329kg	329kg
0-5000 psi	331kb	331kb	331kb	331kb	331kg	331kg	331kg	331kg
0-6000 psi	332kb	332kb	332kb	332kb	332kg	332kg	332kg	332kg



Unit Price in US \$	107.10	112.60	124.10	125.90	107.10	112.60	124.30	125.90
----------------------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

0-10000 psi	334kb	334kb	334kb	334kb	334kg	334kg	334kg	334kg
0-15000 psi	335kb	335kb	335kb	335kb	335kg	335kg	335kg	335kg

Additional Price in US \$								
Stainless steel snubber	8.50							

Field Fillable Stainless Steel Pressure Gauges



Series	7620						
Case	stainless steel with blow out						
Bezel	bayonet ring, stainless steel						
Dial	white aluminum with black markings						
Pointer	black aluminum						
Window	safety glass						
Bourdontube	stainless steel						
Connection	stainless steel						
Movement	stainless steel						
Accuracy	1,6	1,0			1,6	1,0	
Execution							
Series	7621				7625		
Case size	2 1/2"	4"		6"	2 1/2"	4"	6"
Connection	1/4"npt		1/2"npt		1/4"npt	1/2"npt	
Scale	psi						
Unit Price in US \$	115.10	219.10	219.10	339.20	119.50	230.10	353.90
Article number	RW266A3E	RW266A5E	RW266A5H	RW266A6H	RW266G3E	RW266G5H	RW266G6H
-30"HG/0	000vb	000vb	000vb	000vb	000vb	000vb	000vb
-30"HG/0/15 psi	201vb	201vb	201vb	201vb	201vb	201vb	201vb
-30"HG/0/30 psi	203vb	203vb	203vb	203vb	203vb	203vb	203vb
-30"HG/0/60 psi	205vb	205vb	205vb	205vb	205vb	205vb	205vb
-30"HG/0/100 psi	208vb	208vb	208vb	208vb	208vb	208vb	208vb
-30"HG/0/150 psi	210vb	210vb	210vb	210vb	210vb	210vb	210vb
-30"HG/0/200 psi	212vb	212vb	212vb	212vb	212vb	212vb	212vb
0-15 psi	301vb	301vb	301vb	301vb	301vb	301vb	301vb
Unit Price in US \$	114.30	203.30	203.30	307.20	116.30	213.30	323.20
0-30 psi	303vb	303vb	303vb	303vb	303vb	303vb	303vb
0-60 psi	306vb	306vb	306vb	306vb	306vb	306vb	306vb
0-100 psi	309vb	309vb	309vb	309vb	309vb	309vb	309vb
0-160 psi	312vb	312vb	312vb	312vb	312vb	312vb	312vb
0-200 psi	314vb	314vb	314vb	314vb	314vb	314vb	314vb
0-300 psi	317vb	317vb	317vb	317vb	317vb	317vb	317vb
0-400 psi	319vb	319vb	319vb	319vb	319vb	319vb	319vb
0-500 psi	320vb	320vb	320vb	320vb	320vb	320vb	320vb
0-600 psi	321vb	321vb	321vb	321vb	321vb	321vb	321vb
Unit Price in US \$	114.70	224.70	224.70	336.60	116.80	240.10	355.50
0-1000 psi	323vb	323vb	323vb	323vb	323vb	323vb	323vb
0-1500 psi	324vb	324vb	324vb	324vb	324vb	324vb	324vb
0-2000 psi	325vb	325vb	325vb	325vb	325vb	325vb	325vb
0-3000 psi	327vb	327vb	327vb	327vb	327vb	327vb	327vb
0-4000 psi	329vb	329vb	329vb	329vb	329vb	329vb	329vb
0-5000 psi	331vb	331vb	331vb	331vb	331vb	331vb	331vb
0-6000 psi	332vb	332vb	332vb	332vb	332vb	332vb	332vb
Unit Price in US \$	123.50	234.30	234.30	359.50	126.90	251.70	379.80
0-10000 psi	334vb	334vb	334vb	334vb	334vb	334vb	334vb
0-15000 psi	335vb	335vb	335vb	335vb	335vb	335vb	335vb
Additional Price in US \$							
Snubber, stainless steel	8.50	9.20			8.50	9.20	

Field Fillable Stainless Steel Pressure Gauges



Series	7620										
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy Mounting option	stainless steel with blow out bayonet ring, stainless steel white aluminum with black markings black aluminum safety glass stainless steel stainless steel stainless steel 1,6 1,0 1,6 1,0 1,6 1,0 Backflange Frontflange U - Clamp										
Execution											
Series	7622			7628			7629				
Case size	2 1/2"		4"		6"		2 1/2"		4"		6"
Connection	1/4" npt		1/2" NPT		1/4" npt		1/2" NPT		1/4" npt		1/2" NPT
Scale	psi										
Unit Price in US \$	132.40	248.50	248.50	376.80	131.00	249.90	386.00	132.70	254.50	395.40	
Article number	RW266B3E	RW266B5E	RW266B6H	RW266B6H	RW266H3E	RW266H5H	RW266H6H	RW266J3E	RW266J5H	RW266J6H	
-30"HG/0	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb	
-30"HG/0/15 psi	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb	
-30"HG/0/30 psi	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb	
-30"HG/0/60 psi	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb	
-30"HG/0/100 psi	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb	
-30"HG/0/150 psi	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb	
-30"HG/0/200 psi	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb	
0-15 psi	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb	
Unit Price in US \$	131.70	233.20	233.20	345.20	127.90	233.00	355.30	129.60	237.70	364.60	
0-30 psi	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb	
0-60 psi	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb	
0-100 psi	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb	
0-160 psi	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb	
0-200 psi	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb	
0-300 psi	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb	
0-400 psi	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb	
0-500 psi	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb	
0-600 psi	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb	
Unit Price in US \$	132.20	254.60	254.60	374.60	128.40	259.80	387.50	130.20	264.40	397.10	
0-1000 psi	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb	
0-1500 psi	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb	
0-2000 psi	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb	
0-3000 psi	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb	
0-4000 psi	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb	
0-5000 psi	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb	
0-6000 psi	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb	
Unit Price in US \$	140.90	264.00	264.00	397.70	138.40	271.40	412.00	140.20	276.10	421.40	
0-10000 psi	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb	
0-15000 psi	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb	
Additional Price in US \$											
Snubber, stainless steel	8.50	9.20	9.20	9.20	8.50	9.20	9.20	8.50	9.20	9.20	

Liquid Filled Standard Pressure Gauges



Series	6220									
Case	stainless steel with fill plug									
Bezel	crimped stainless steel									
Dial	white aluminum with black markings									
Pointer	black aluminum									
Window	acrylic									
Bourdontube	stainless steel									
Connection	stainless steel									
Movement	stainless steel									
Accuracy	1,6									
Mounting option		Backflange	Frontflange	U - Clamp		Backflange	Frontflange	U - Clamp		
Execution										
Series	6221	6225	6222	6228	6229	6221	6225	6222	6228	6229
Case size	4"									
Connection	1/4" npt									
Scale	psi					psi/bar/kPa				
Unit Price in US \$	130.40	130.60	160.10	150.20	154.90	130.40	130.60	160.10	150.20	154.90
Article number	NV232A5N	NV232G5N	NV232B5N	NV232H5N	NV232J5N	NV232A5N	NV232G5N	NV232B5N	NV232H5N	NV232J5N
-30"HG/0	000kb	000kb	000kb	000kb	000kb	000kg	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kb	201kb	201kb	201kb	201kb	201kg	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kb	203kb	203kb	203kb	203kb	203kg	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kb	205kb	205kb	205kb	205kb	205kg	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kb	208kb	208kb	208kb	208kb	208kg	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kb	210kb	210kb	210kb	210kb	210kg	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kb	212kb	212kb	212kb	212kb	212kg	212kg	212kg	212kg	212kg
0-15 psi	301kb	301kb	301kb	301kb	301kb	301kg	301kg	301kg	301kg	301kg
Unit Price in US \$	116.50	116.50	146.30	136.20	140.90	116.50	116.50	146.30	136.20	140.90
0-30 psi	303kb	303kb	303kb	303kb	303kb	303kg	303kg	303kg	303kg	303kg
0-60 psi	306kb	306kb	306kb	306kb	306kb	306kg	306kg	306kg	306kg	306kg
0-100 psi	309kb	309kb	309kb	309kb	309kb	309kg	309kg	309kg	309kg	309kg
0-160 psi	312kb	312kb	312kb	312kb	312kb	312kg	312kg	312kg	312kg	312kg
0-200 psi	314kb	314kb	314kb	314kb	314kb	314kg	314kg	314kg	314kg	314kg
0-300 psi	317kb	317kb	317kb	317kb	317kb	317kg	317kg	317kg	317kg	317kg
0-400 psi	319kb	319kb	319kb	319kb	319kb	319kg	319kg	319kg	319kg	319kg
0-500 psi	320kb	320kb	320kb	320kb	320kb	320kg	320kg	320kg	320kg	320kg
0-600 psi	321kb	321kb	321kb	321kb	321kb	321kg	321kg	321kg	321kg	321kg
Unit Price in US \$	124.50	122.90	154.20	142.60	147.20	124.50	122.90	154.20	142.60	147.20
0-1000 psi	323kb	323kb	323kb	323kb	323kb	323kg	323kg	323kg	323kg	323kg
0-1500 psi	324kb	324kb	324kb	324kb	324kb	324kg	324kg	324kg	324kg	324kg
0-2000 psi	325kb	325kb	325kb	325kb	325kb	325kg	325kg	325kg	325kg	325kg
0-3000 psi	327kb	327kb	327kb	327kb	327kb	327kg	327kg	327kg	327kg	327kg
0-4000 psi	329kb	329kb	329kb	329kb	329kb	329kg	329kg	329kg	329kg	329kg
0-5000 psi	331kb	331kb	331kb	331kb	331kb	331kg	331kg	331kg	331kg	331kg
0-6000 psi	332kb	332kb	332kb	332kb	332kb	332kg	332kg	332kg	332kg	332kg
Unit Price in US \$	134.00	134.60	164.00	154.30	158.90	134.00	134.60	164.00	154.30	158.90
0-10000 psi	334kb	334kb	334kb	334kb	334kb	334kg	334kg	334kg	334kg	334kg
0-15000 psi	335kb	335kb	335kb	335kb	335kb	335kg	335kg	335kg	335kg	335kg

Liquid Filled Standard Pressure Gauges



Series	7220							
Case	stainless steel with fill plug							
Bezel	crimped stainless steel							
Dial	white aluminum with black markings							
Pointer	black aluminum							
Window	acrylic							
Bourdontube	stainless steel							
Connection	stainless steel							
Movement	stainless steel							
Accuracy	1,6							
Mounting option		Frontflange	U - Clamp		Frontflange	U - Clamp		
Execution								
Series	7221	7225	7228	7229	7221	7225	7228	7229
Case size	2 1/2"							
Connection	1/4" npt							
Scale	psi				psi/bar/kPa			
Unit Price in US \$	101.90	106.70	118.30	120.10	101.90	106.70	118.30	120.10
Article number	RV232A3E	RV232G3E	RV232H3E	RV232J3E	RV232A3E	RV232G3E	RV232H3E	RV232J3E
-30"HG/0	000kb	000kb	000kb	000kb	000kg	000kg	000kg	000kg
-30"HG/0/15 psi	201kb	201kb	201kb	201kb	201kg	201kg	201kg	201kg
-30"HG/0/30 psi	203kb	203kb	203kb	203kb	203kg	203kg	203kg	203kg
-30"HG/0/60 psi	205kb	205kb	205kb	205kb	205kg	205kg	205kg	205kg
-30"HG/0/100 psi	208kb	208kb	208kb	208kb	208kg	208kg	208kg	208kg
-30"HG/0/150 psi	210kb	210kb	210kb	210kb	210kg	210kg	210kg	210kg
-30"HG/0/200 psi	212kb	212kb	212kb	212kb	212kg	212kg	212kg	212kg
0-15 psi	301kb	301kb	301kb	301kb	301kg	301kg	301kg	301kg
Unit Price in US \$	95.60	100.20	111.80	113.50	95.60	100.20	111.80	113.50
0-30 psi	303kb	303kb	303kb	303kb	303kg	303kg	303kg	303kg
0-60 psi	306kb	306kb	306kb	306kb	306kg	306kg	306kg	306kg
0-100 psi	309kb	309kb	309kb	309kb	309kg	309kg	309kg	309kg
0-160 psi	312kb	312kb	312kb	312kb	312kg	312kg	312kg	312kg
0-200 psi	314kb	314kb	314kb	314kb	314kg	314kg	314kg	314kg
0-300 psi	317kb	317kb	317kb	317kb	317kg	317kg	317kg	317kg
0-400 psi	319kb	319kb	319kb	319kb	319kg	319kg	319kg	319kg
0-500 psi	320kb	320kb	320kb	320kb	320kg	320kg	320kg	320kg
0-600 psi	321kb	321kb	321kb	321kb	321kg	321kg	321kg	321kg
Unit Price in US \$	103.40	105.10	116.70	118.50	103.40	105.10	116.70	118.50
0-1000 psi	323kb	323kb	323kb	323kb	323kg	323kg	323kg	323kg
0-1500 psi	324kb	324kb	324kb	324kb	324kg	324kg	324kg	324kg
0-2000 psi	325kb	325kb	325kb	325kb	325kg	325kg	325kg	325kg
0-3000 psi	327kb	327kb	327kb	327kb	327kg	327kg	327kg	327kg
0-4000 psi	329kb	329kb	329kb	329kb	329kg	329kg	329kg	329kg
0-5000 psi	331kb	331kb	331kb	331kb	331kg	331kg	331kg	331kg
0-6000 psi	332kb	332kb	332kb	332kb	332kg	332kg	332kg	332kg
Unit Price in US \$	111.50	116.90	128.50	130.10	111.50	116.90	128.50	130.10
0-10000 psi	334kb	334kb	334kb	334kb	334kg	334kg	334kg	334kg
0-15000 psi	335kb	335kb	335kb	335kb	335kg	335kg	335kg	335kg
Additional Price in US \$								
Stainless steel snubber	8.50							

Liquid Filled stainless steel Pressure Gauges



Series	7720						
Case	stainless steel with blow out						
Bezel	bayonet ring, stainless steel						
Dial	white aluminum with black markings						
Pointer	black aluminum						
Window	safety glass						
Bourdon tube	stainless steel						
Connection	stainless steel						
Movement	stainless steel						
Accuracy	1,6	1,0			1,6	1,0	
Execution							
Series	7721				7725		
Case size	2 1/2"	4"		6"	2 1/2"	4"	6"
Connection	1/4" npt		1/2" npt		1/4" npt		1/2" npt
Scale	psi						
Unit Price in US \$	118.40	234.20	234.20	399.90	122.80	245.20	413.70
Article number	RV266A3E	RV266A5E	RV266A5H	RV266A6H	RV266G3E	RV266G5H	RV266G6H
-30"HG/0	000vb	000vb	000vb	000vb	000vb	000vb	000vb
-30"HG/0/15 psi	201vb	201vb	201vb	201vb	201vb	201vb	201vb
-30"HG/0/30 psi	203vb	203vb	203vb	203vb	203vb	203vb	203vb
-30"HG/0/60 psi	205vb	205vb	205vb	205vb	205vb	205vb	205vb
-30"HG/0/100 psi	208vb	208vb	208vb	208vb	208vb	208vb	208vb
-30"HG/0/150 psi	210vb	210vb	210vb	210vb	210vb	210vb	210vb
-30"HG/0/200 psi	212vb	212vb	212vb	212vb	212vb	212vb	212vb
0-15 psi	301vb	301vb	301vb	301vb	301vb	301vb	301vb
Unit Price in US \$	117.70	217.20	217.20	361.20	119.60	227.80	380.10
0-30 psi	303vb	303vb	303vb	303vb	303vb	303vb	303vb
0-60 psi	306vb	306vb	306vb	306vb	306vb	306vb	306vb
0-100 psi	309vb	309vb	309vb	309vb	309vb	309vb	309vb
0-160 psi	312vb	312vb	312vb	312vb	312vb	312vb	312vb
0-200 psi	314vb	314vb	314vb	314vb	314vb	314vb	314vb
0-300 psi	317vb	317vb	317vb	317vb	317vb	317vb	317vb
0-400 psi	319vb	319vb	319vb	319vb	319vb	319vb	319vb
0-500 psi	320vb	320vb	320vb	320vb	320vb	320vb	320vb
0-600 psi	321vb	321vb	321vb	321vb	321vb	321vb	321vb
Unit Price in US \$	118.80	239.70	239.70	393.50	120.70	256.30	411.40
0-1000 psi	323vb	323vb	323vb	323vb	323vb	323vb	323vb
0-1500 psi	324vb	324vb	324vb	324vb	324vb	324vb	324vb
0-2000 psi	325vb	325vb	325vb	325vb	325vb	325vb	325vb
0-3000 psi	327vb	327vb	327vb	327vb	327vb	327vb	327vb
0-4000 psi	329vb	329vb	329vb	329vb	329vb	329vb	329vb
0-5000 psi	331vb	331vb	331vb	331vb	331vb	331vb	331vb
0-6000 psi	332vb	332vb	332vb	332vb	332vb	332vb	332vb
Unit Price in US \$	127.40	249.30	249.30	415.40	130.70	267.80	436.70
0-10000 psi	334vb	334vb	334vb	334vb	334vb	334vb	334vb
0-15000 psi	335vb	335vb	335vb	335vb	335vb	335vb	335vb
Additional Price in US \$							
Snubber, stainless steel	8.50	9.20			8.50	9.20	



Liquid Filled Stainless Steel Pressure Gauges



Series	7720										
Case	stainless steel with blow out										
Bezel	bayonet ring, stainless steel										
Dial	white aluminum with black markings										
Pointer	black aluminum										
Window	safety glass										
Bourdontube	stainless steel										
Connection	stainless steel										
Movement	stainless steel										
Accuracy	1,6	1,0	1,6	1,0	1,6	1,0	1,6	1,0			
Mounting option	Backflange				Frontflange			U - Clamp			
Execution											
Series	7722			7728			7729				
Case size	2 1/2"		4"		6"		2 1/2"		4"		6"
Connection	1/4"npt		1/2"NPT		1/4"npt		1/2"NPT		1/4"npt		1/2"NPT
Scale	psi										
Unit Price in US \$	135.80	264.20	264.20	437.90	134.40	264.80	445.70	136.10	269.40	455.30	
Article number	RV266B3E	RV266B5E	RV266B6H	RV266B6H	RV266H3E	RV266H5H	RV266H6H	RV266J3E	RV266J5H	RV266J6H	
-30"HG/0	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb	
-30"HG/0/15 psi	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb	
-30"HG/0/30 psi	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb	
-30"HG/0/60 psi	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb	
-30"HG/0/100 psi	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb	
-30"HG/0/150 psi	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb	
-30"HG/0/200 psi	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb	
0-15 psi	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb	
Unit Price in US \$	135.00	247.10	247.10	399.30	131.10	247.60	412.30	132.80	252.20	421.80	
0-30 psi	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb	
0-60 psi	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb	
0-100 psi	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb	
0-160 psi	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb	
0-200 psi	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb	
0-300 psi	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb	
0-400 psi	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb	
0-500 psi	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb	
0-600 psi	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb	
Unit Price in US \$	136.20	269.80	269.80	431.60	132.30	276.10	443.40	134.00	280.70	452.90	
0-1000 psi	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb	
0-1500 psi	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb	
0-2000 psi	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb	
0-3000 psi	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb	
0-4000 psi	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb	
0-5000 psi	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb	
0-6000 psi	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb	
Unit Price in US \$	144.80	279.40	279.40	453.60	142.30	287.50	468.70	144.00	292.20	478.30	
0-10000 psi	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb	
0-15000 psi	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb	
Additional Price in US \$											
Snubber, stainless steel	8.50	9.20			8.50	9.20		8.50	9.20		




Liquid Filled Industrial St. St. Pressure Gauges



Series	7770							
Case	stainless steel with fill plug and blow out							
Bezel	bayonet ring, stainless steel							
Dial	white aluminum with black markings							
Pointer	black aluminum							
Window	safety glass							
Bourdontube	stainless steel							
Connection	stainless steel welded to the case							
Movement	stainless steel							
Accuracy	1,6	1,0	1,6	1,0				
Mounting option					Backflange			
Execution								
Series	7771				7722			
Case size	2 1/2"		4"		2 1/2"		4"	
Connection	1/4"NPT		1/4"npt	1/2"NPT	1/4"NPT		1/4"npt	1/2"NPT
Scale	psi	psi/bar/kpa	psi		psi	psi/bar/kpa	psi	
Unit Price in US \$	151.70	151.70	277.10	277.10	169.40	169.40	306.80	306.80
Article number	GV266A3E	GV266A3E	GV266A5E	GV266A5H	GV266B3E	GV266B3E	GV266B5E	GV266B5H
-30"HG/0	000vb	000vg	000vb	000vb	000vb	000vg	000vb	000vb
-30"HG/0/15 psi	201vb	201vg	201vb	201vb	201vb	201vg	201vb	201vb
-30"HG/0/30 psi	203vb	203vg	203vb	203vb	203vb	203vg	203vb	203vb
-30"HG/0/60 psi	205vb	205vg	205vb	205vb	205vb	205vg	205vb	205vb
-30"HG/0/100 psi	208vb	208vg	208vb	208vb	208vb	208vg	208vb	208vb
-30"HG/0/150 psi	210vb	210vg	210vb	210vb	210vb	210vg	210vb	210vb
-30"HG/0/200 psi	212vb	212vg	212vb	212vb	212vb	212vg	212vb	212vb
0-15 psi	301vb	301vg	301vb	301vb	301vb	301vg	301vb	301vb
Unit Price in US \$	145.60	145.60	266.80	266.80	163.10	163.10	296.80	296.80
0-30 psi	303vb	303vg	303vb	303vb	303vb	303vg	303vb	303vb
0-60 psi	306vb	306vg	306vb	306vb	306vb	306vg	306vb	306vb
0-100 psi	309vb	309vg	309vb	309vb	309vb	309vg	309vb	309vb
0-160 psi	312vb	312vg	312vb	312vb	312vb	312vg	312vb	312vb
0-200 psi	314vb	314vg	314vb	314vb	314vb	314vg	314vb	314vb
0-300 psi	317vb	317vg	317vb	317vb	317vb	317vg	317vb	317vb
0-400 psi	319vb	319vg	319vb	319vb	319vb	319vg	319vb	319vb
0-500 psi	320vb	320vg	320vb	320vb	320vb	320vg	320vb	320vb
0-600 psi	321vb	321vg	321vb	321vb	321vb	321vg	321vb	321vb
Unit Price in US \$	148.90	148.90	289.60	289.60	166.40	166.40	319.60	319.60
0-1000 psi	323vb	323vg	323vb	323vb	323vb	323vg	323vb	323vb
0-1500 psi	324vb	324vg	324vb	324vb	324vb	324vg	324vb	324vb
0-2000 psi	325vb	325vg	325vb	325vb	325vb	325vg	325vb	325vb
0-3000 psi	327vb	327vg	327vb	327vb	327vb	327vg	327vb	327vb
0-4000 psi	329vb	329vg	329vb	329vb	329vb	329vg	329vb	329vb
0-5000 psi	331vb	331vg	331vb	331vb	331vb	331vg	331vb	331vb
0-6000 psi	332vb	332vg	332vb	332vb	332vb	332vg	332vb	332vb
Unit Price in US \$	178.20	178.20	311.50	311.50	195.70	195.70	341.40	341.40
0-10000 psi	334vb	334vg	334vb	334vb	334vb	334vg	334vb	334vb
0-15000 psi	335vb	335vg	335vb	335vb	335vb	335vg	335vb	335vb
Additional Price in US \$								
Stainless steel snubber	8.50		9.20		8.50		9.20	

Safety Pattern St. St. Pressure Gauges



Series	8620								
Case	stainless steel with solid barrier between dial plate and measuring unit								
Bezel	bayonet ring, stainless steel								
Dial	white aluminum with black markings								
Pointer	black aluminum								
Window	safety glass								
Bourdontube	stainless steel								
Connection	stainless steel								
Movement	stainless steel								
Accuracy	1,6	1,0	1,6	1,0	1,6	1,0	1,6	1,0	
Mounting option							Frontflange		
Execution									
Series	8621			8625			8628		
Case size	2 1/2"	4"	6"	2 1/2"	4"	6"	2 1/2"	4"	6"
Connection	1/4" npt	1/2" NPT		1/4" npt	1/2" NPT		1/4" npt	1/2" NPT	
Scale	psi								
Unit Price in US \$	159.80	238.30	384.70	174.30	261.60	413.00	185.80	281.30	445.80
Article number	SW266A3E	SW266A5H	SW266A6H	SW266G3E	SW266G5H	SW266G6H	SW266H3E	SW266H5H	SW266H6H
-30"HG/0	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb	000vb
-30"HG/0/15 psi	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb	201vb
-30"HG/0/30 psi	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb	203vb
-30"HG/0/60 psi	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb	205vb
-30"HG/0/100 psi	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb	208vb
-30"HG/0/150 psi	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb	210vb
-30"HG/0/200 psi	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb	212vb
0-15 psi	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb	301vb
Unit Price in US \$	157.30	246.60	422.40	171.50	259.90	409.00	183.10	279.50	441.70
0-30 psi	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb	303vb
0-60 psi	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb	306vb
0-100 psi	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb	309vb
0-160 psi	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb	312vb
0-200 psi	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb	314vb
0-300 psi	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb	317vb
0-400 psi	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb	319vb
0-500 psi	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb	320vb
0-600 psi	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb	321vb
Unit Price in US \$	170.30	257.00	446.10	176.50	308.50	431.40	188.50	328.20	464.10
0-1000 psi	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb	323vb
0-1500 psi	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb	324vb
0-2000 psi	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb	325vb
0-3000 psi	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb	327vb
0-4000 psi	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb	329vb
0-5000 psi	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb	331vb
0-6000 psi	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb	332vb
Unit Price in US \$	197.50	295.10	476.30	185.20	338.20	460.30	197.00	357.90	493.20
0-10000 psi	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb	334vb
0-15000 psi	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb	335vb
Additional Price in US \$									
Snubber, stainless steel	8.50	9.20		8.50	9.20		8.50	9.20	


Liquid Filled Safety Pattern St. St. Pressure Gauges



Series	8720		
Case Bezel Dial Pointer Window Bourdontube Connection Movement Accuracy	stainless steel with solid barrier between dial plate and measuring unit bayonet ring, stainless steel white aluminum with black markings black aluminum safety glass stainless steel stainless steel stainless steel 1,6 1,0		
Execution			
Series	8721		
Case size	2 1/2"	4"	6"
Connection	1/4"NPT	1/2"NPT	
Scale	psi		
Unit Price in US \$	170.20	268.20	436.70
Article number	SV266A3E	SV266A5H	SV266A6H
-30"HG/0	000vb	000vb	000vb
-30"HG/0/15 psi	201vb	201vb	201vb
-30"HG/0/30 psi	203vb	203vb	203vb
-30"HG/0/60 psi	205vb	205vb	205vb
-30"HG/0/100 psi	208vb	208vb	208vb
-30"HG/0/150 psi	210vb	210vb	210vb
-30"HG/0/200 psi	212vb	212vb	212vb
0-15 psi	301vb	301vb	301vb
Unit Price in US \$	167.50	257.90	433.40
0-30 psi	303vb	303vb	303vb
0-60 psi	306vb	306vb	306vb
0-100 psi	309vb	309vb	309vb
0-160 psi	312vb	312vb	312vb
0-200 psi	314vb	314vb	314vb
0-300 psi	317vb	317vb	317vb
0-400 psi	319vb	319vb	319vb
0-500 psi	320vb	320vb	320vb
0-600 psi	321vb	321vb	321vb
Unit Price in US \$	176.60	267.80	457.60
0-1000 psi	323vb	323vb	323vb
0-1500 psi	324vb	324vb	324vb
0-2000 psi	325vb	325vb	325vb
0-3000 psi	327vb	327vb	327vb
0-4000 psi	329vb	329vb	329vb
0-5000 psi	331vb	331vb	331vb
0-6000 psi	332vb	332vb	332vb
Unit Price in US \$	204.70	307.40	488.10
0-10000 psi	334vb	334vb	334vb
0-15000 psi	335vb	335vb	335vb
Additional Price in US \$			
Snubber, stainless steel	8.50	9.20	

Process Gauges



	8800				
Series	8800				
Case	Fiberglass reinforced thermoplastic with solid barrier between dial plate and measuring unit				
Bezel	Fiberglass reinforced thermoplastic ring				
Dial	white aluminum with black markings				
Pointer	black aluminum, adjustable micrometer pointer				
Window	safety glass				
Bourdon tube	Bronze		stainless steel		Monel
Connection	brass		stainless steel		Monel
Movement	brass		stainless steel		stainless steel
Accuracy	0,5 % of span				
Execution					
Series	8811	8821	8851		
Case size	4 1/2"				
Connection	1/4"NPT	1/2"NPT	1/4"NPT	1/2"NPT	1/2"NPT
Scale	psi				
Unit Price in US \$	182.00	182.00	202.80	202.80	432.30
Article number	SW187B8E	SW187B8H	SW287B8E	SW287B8H	SW687B8H
-30"HG/0	000vb	000vb	000vb	000vb	000vb
-30"HG/0/15 psi	201vb	201vb	201vb	201vb	201vb
-30"HG/0/30 psi	203vb	203vb	203vb	203vb	203vb
-30"HG/0/60 psi	205vb	205vb	205vb	205vb	205vb
-30"HG/0/100 psi	208vb	208vb	208vb	208vb	208vb
-30"HG/0/150 psi	210vb	210vb	210vb	210vb	210vb
-30"HG/0/200 psi	212vb	212vb	212vb	212vb	212vb
0-15 psi	301vb	301vb	301vb	301vb	301vb
Unit Price in US \$	176.80	176.80	197.60	197.60	426.80
0-30 psi	303vb	303vb	303vb	303vb	303vb
0-60 psi	306vb	306vb	306vb	306vb	306vb
0-100 psi	309vb	309vb	309vb	309vb	309vb
0-160 psi	312vb	312vb	312vb	312vb	312vb
0-200 psi	314vb	314vb	314vb	314vb	314vb
0-300 psi	317vb	317vb	317vb	317vb	317vb
0-400 psi	319vb	319vb	319vb	319vb	319vb
0-500 psi	320vb	320vb	320vb	320vb	320vb
0-600 psi	321vb	321vb	321vb	321vb	321vb
Unit Price in US \$	197.60	197.60	218.40	218.40	448.70
0-1000 psi	323vb	323vb	323vb	323vb	323vb
0-1500 psi	324vb	324vb	324vb	324vb	324vb
0-2000 psi	325vb	325vb	325vb	325vb	325vb
0-3000 psi	327vb	327vb	327vb	327vb	327vb
0-4000 psi	329vb	329vb	329vb	329vb	329vb
0-5000 psi	331vb	331vb	331vb	331vb	331vb
0-6000 psi	332vb	332vb	332vb	332vb	332vb
Unit Price in US \$	218.40	218.40	239.20	239.20	470.60
0-10000 psi	334vb	334vb	334vb	334vb	334vb
0-15000 psi	335vb	335vb	335vb	335vb	335vb
Additional Price in US \$					
Snubber, stainless steel	9.20				

Liquid Filled Process Gauges



	Liquid Filled Process Gauges					
Series	8900					
Case	Fiberglass reinforced thermoplastic with solid barrier between dial plate and measuring unit					
Bezel	Fiberglass reinforced thermoplastic ring					
Dial	white aluminum with black markings					
Pointer	black aluminum, adjustable micrometer pointer					
Window	safety glass					
Bourdon tube	Bronze		stainless steel		Monel	
Connection	brass		stainless steel		Monel	
Movement	brass		stainless steel		stainless steel	
Accuracy	0,5 % of span					
Execution						
Series	8911		8921		8951	
Case size	4 1/2"					
Connection	1/4"NPT	1/2"NPT	1/4"NPT	1/2"NPT	1/2"NPT	
Scale	psi					
Unit Price in US \$	197.60	197.60	218.40	218.40	448.70	
Article number	SV187B8E	SV187B8H	SV287B8E	SV287B8H	SV687B8H	
-30"HG/0	000vb	000vb	000vb	000vb	000vb	
-30"HG/0/15 psi	201vb	201vb	201vb	201vb	201vb	
-30"HG/0/30 psi	203vb	203vb	203vb	203vb	203vb	
-30"HG/0/60 psi	205vb	205vb	205vb	205vb	205vb	
-30"HG/0/100 psi	208vb	208vb	208vb	208vb	208vb	
-30"HG/0/150 psi	210vb	210vb	210vb	210vb	210vb	
-30"HG/0/200 psi	212vb	212vb	212vb	212vb	212vb	
0-15 psi	301vb	301vb	301vb	301vb	301vb	
Unit Price in US \$	192.40	192.40	213.20	213.20	443.30	
0-30 psi	303vb	303vb	303vb	303vb	303vb	
0-60 psi	306vb	306vb	306vb	306vb	306vb	
0-100 psi	309vb	309vb	309vb	309vb	309vb	
0-160 psi	312vb	312vb	312vb	312vb	312vb	
0-200 psi	314vb	314vb	314vb	314vb	314vb	
0-300 psi	317vb	317vb	317vb	317vb	317vb	
0-400 psi	319vb	319vb	319vb	319vb	319vb	
0-500 psi	320vb	320vb	320vb	320vb	320vb	
0-600 psi	321vb	321vb	321vb	321vb	321vb	
Unit Price in US \$	213.20	213.20	234.00	234.00	465.20	
0-1000 psi	323vb	323vb	323vb	323vb	323vb	
0-1500 psi	324vb	324vb	324vb	324vb	324vb	
0-2000 psi	325vb	325vb	325vb	325vb	325vb	
0-3000 psi	327vb	327vb	327vb	327vb	327vb	
0-4000 psi	329vb	329vb	329vb	329vb	329vb	
0-5000 psi	331vb	331vb	331vb	331vb	331vb	
0-6000 psi	332vb	332vb	332vb	332vb	332vb	
Unit Price in US \$	234.00	234.00	254.80	254.80	487.00	
0-10000 psi	-	-	334vb	334vb	334vb	
0-15000 psi	-	-	335vb	335vb	335vb	
0-20000 psi	-	-	336vb	336vb	336vb	
Additional Price in US \$						
Snubber, stainless steel	9.20					








Precision Test Gauges



	9510			
Series	9510			
Case	stainless steel			
Bezel	bayonet ring, stainless steel			
Dial	white aluminum with black markings			
Pointer	black aluminum			
Window	acrylic			
Bourdontube	phosforbronze			
Connection	brass			
Movement	brass			
Klasse	0,25% of span			
Mounting option		backflange	frontflange	
Execution				
Series	9511	9515	9512	9518
Case size	6"			
Connection	1/4" npt			
Scale	psi			
Unit Price in US \$	766.10	804.40	842.70	881.00
Article number	PD166A6E	PD166G6E	PD166B6E	PD166H6E
-30"HG/0	000kb	000kb	000kb	000kb
-30"HG/0/15 psi	201kb	201kb	201kb	201kb
-30"HG/0/30 psi	203kb	203kb	203kb	203kb
-30"HG/0/60 psi	205kb	205kb	205kb	205kb
-30"HG/0/100 psi	208kb	208kb	208kb	208kb
-30"HG/0/150 psi	210kb	210kb	210kb	210kb
-30"HG/0/200 psi	212kb	212kb	212kb	212kb
0-15 psi	301kb	301kb	301kb	301kb
Unit Price in US \$	727.80	766.10	804.40	842.70
0-30 psi	303kb	303kb	303kb	303kb
0-60 psi	306kb	306kb	306kb	306kb
0-100 psi	309kb	309kb	309kb	309kb
0-160 psi	312kb	312kb	312kb	312kb
0-200 psi	314kb	314kb	314kb	314kb
0-300 psi	317kb	317kb	317kb	317kb
0-400 psi	319kb	319kb	319kb	319kb
0-500 psi	320kb	320kb	320kb	320kb
0-600 psi	321kb	321kb	321kb	321kb
Unit Price in US \$	804.40	842.70	881.00	919.30
0-1000 psi	323kb	323kb	323kb	323kb
0-1500 psi	324kb	324kb	324kb	324kb
0-2000 psi	325kb	325kb	325kb	325kb
0-3000 psi	327kb	327kb	327kb	327kb
0-4000 psi	329kb	329kb	329kb	329kb
0-5000 psi	331kb	331kb	331kb	331kb
0-6000 psi	332kb	332kb	332kb	332kb
Unit Price in US \$	919.30	980.60	995.90	1057.20
0-10000 psi	334kb	334kb	334kb	334kb
0-15000 psi	335kb	335kb	335kb	335kb
Additional Price in US \$				

Altitude Gauges



Series	6000A			6210A			
Case	steel, black			stainless steel with fill plug			
Bezel	black crimped aluminum			crimped stainless steel			
Dial	white aluminum with black markings			white aluminum with black markings			
Pointer	black aluminum			black aluminum			
Window	acrylic			acrylic			
Bourdontube	phosforbronce			phosforbronce			
Connection	brass			brass with snubber			
Movement	brass			brass			
Accuracy	3-2-3 %			3-2-3 %			
Execution							
Series	6001A	6004A	6006A	6211A	6214A	6212A	6216A
Case size	4"			4"			
Connection	1/4"npt			1/4"npt			
Scale	psi/ft H.O			psi/ft H.O			
Unit Price in US \$	53.70	57.50	80.50	107.30	111.10	137.90	141.80
Article number	ND123A5E	ND123C5E	ND123D5E	NV132A5E	NV132C5E	NV1325E	NV1325E
0-15 psi/ft H2O	303kg	303kg	303kg	303kg	303kg	303kg	303kg
0-30 psi/ft H2O	306kg	306kg	306kg	306kg	306kg	306kg	306kg
0-60 psi/ft H2O	309kg	309kg	309kg	309kg	309kg	309kg	309kg
0-100 psi/ft H2O	312kg	312kg	312kg	312kg	312kg	312kg	312kg
0-160 psi/ft H2O	314kg	314kg	314kg	314kg	314kg	314kg	314kg
0-200 psi/ft H2O	317kg	317kg	317kg	317kg	317kg	317kg	317kg
0-300 psi/ft H2O	319kg	319kg	319kg	319kg	319kg	319kg	319kg

Internal Syphon Steam Gauges



	Internal Syphon Steam Gauges			
Series	6000ISS			
Case	steel, black			
Bezel	black crimped aluminum			
Dial	white aluminum with black markings			
Pointer	black aluminum			
Window	acrylic			
Bourdontube	phosforbronze			
Connection	brass			
Movement	brass			
Accuracy	3-2-3 %			
Execution				
Series	6004ISS			
Case size	2 1/2"		4"	
Connection	1/4" npt			
Scale	psi			
Unit Price in US \$	30.70		46.00	
Article number	ND123C3Z		ND123C5Z	
-30"HG/0/30 psi	203kbs1		203kbs1	
-30"HG/0/60 psi	205kbs1		205kbs1	
	0.00		0.00	
0-30 psi	303kbs1		303kbs1	
0-60 psi	306kbs1		306kbs1	
0-100 psi	309kbs1		309kbs1	


Receiver Gauges



	7510R					7520R				
Series	7510R					7520R				
Case	stainless steel with blow out									
Bezel	bayonet ring, stainless steel									
Dial	white aluminum with black markings									
Pointer	black aluminum									
Window	acrylic									
Bourdontube	phosforbronze					stainless steel				
Connection	brass with snubber					stainless steel				
Movement	brass					stainless steel				
Accuracy	1,6 % for 2 1/2", 1,0% for 4" and 6"									
Mounting option		backflange	frontflange	U - Clamp			backflange	frontflange	U - Clamp	
Execution										
Series	7511R	7515R	7512R	7518R	7519R	7521R	7525R	7522R	7528R	7529R
Case size	2 1/2"									
Connection	1/4" npt									
Scale	3-15 psi									
Price in US \$	69.00	76.70	84.30	95.80	99.60	153.30	176.20	183.90	191.60	199.20
Article number	RV166A63Q	RV166G3Q	RV166B3Q	RV166H3Q	RV166J3Q	RV166A3Q	RV166G3Q	RV166B3Q	RV166H3Q	RV166J3Q
0-10 sq. root	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2
0-100 %	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2
Case size	4"									
Connection	1/4" npt									
Scale	3-15 psi									
Price in US \$	153.30	168.60	176.20	183.90	187.70	260.50	275.80	291.10	298.80	306.50
Article number	RV166A5Q	RV166G5Q	RV166B5Q	RV166H5Q	RV166J5Q	RV166A5Q	RV166G5Q	RV166B5Q	RV166H5Q	RV166J5Q
0-10 sq. root	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2
0-100 %	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2
Case size	6"									
Connection	1/4" npt									
Scale	3-15 psi									
Price in US \$	344.80	360.10	375.40	383.10	390.70	398.40	413.70	429.00	436.70	444.40
Article number	RV166A6Q	RV166G6Q	RV166B6Q	RV166H6Q	RV166J6Q	RV166A6Q	RV166G6Q	RV166B6Q	RV166H6Q	RV166J6Q
0-10 sq. root	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2	348kss2
0-100 %	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2	348ksl2





Receiver Process Gauges



	8800			
Series	8800			
Case	Fiberglass reinforced thermoplastic with solid barrier between dial plate and measuring unit			
Bezel	Fiberglass reinforced thermoplastic ring			
Dial	white aluminum with black markings			
Pointer	black aluminum, adjustable micrometer pointer			
Window	safety glass			
Bourdontube	bronze		stainless steel	
Connection	brass		stainless steel	
Movement	brass		stainless steel	
Accuracy	0,5 % of span			
Execution				
Series	8811		8821	
Case size	4 1/2"			
Connection	1/4"NPT	1/2"NPT	1/4"NPT	1/2"NPT
Scale	3-15 psi			
Unit Price in US \$	383.10	383.10	459.70	459.70
Article number	SW187B8E	SW187B8H	SW287B8E	SW287B8H
0-10 sq. root	348kss2	348kss2	348kss2	348kss2
0-100 %	348ksl2	348ksl2	348ksl2	348ksl2

NH₃ Ammonia Gauges



	NH₃ Ammonia Gauges			
Series	7020 NH ₃	6020 NH ₃	7220 NH ₃	6220 NH ₃
Case	stainless steel, dry		stainless steel, liquid filled	
Bezel	crimped stainless steel			
Dial	white aluminum with black markings			
Pointer	black aluminum			
Window	acrylic			
Bourdontube	stainless steel			
Connection	stainless steel			
Movement	stainless steel			
Accuracy	1.6			
Execution				
Series	7021 NH3	6021 NH3	7221 NH3	6221 NH3
Case size	2 1/2"	4"	2 1/2"	4"
Connection	1/4" npt			
Scale	NH3/psi			
Unit Price in US \$	107.30	130.30	122.60	145.60
Article number	RD232A3N	ND232A5N	RV232A3N	NV232A5N
-30"HG/0/160 psi	211kza2	211kza2	211kza2	211kza2
-30"HG/0/300 psi	214kza2	214kza2	214kza2	214kza2

Liquid Filled Mining Gauges



	Liquid Filled Mining Gauges	
Series	5210	
Case	brass cast one piece design	
Bezel	crimped stainless steel	
Dial	white brass with black scales and red, green and yellow segments	
Pointer	white brass	
Window	heavy duty acrylic	
Bourdon tube	helical beryllium copper	
Connection	brass steck -o- connection with viton o-ring and delrin back-up	
Movement	brass	
Accuracy	1,6 % of span	
Execution		
Series	5211	
Case size	2"	
Connection	Steck - O - Connection	
Scale	psi/bar	
Unit Price in US \$	153.30	
Article number	RV142A1Z	
0-9000 psi 3 o'clock	333ke3	
0-9000 psi 6 o'clock	333ke6	
0-9000 psi 9 o'clock	333ke9	
0-9000 psi 12 o'clock	333ke12	

3A Sanitary Gauges



Series	3A 7620 Field fillable				3A 7720 Liquid Filled				
Case Bezel Dial Pointer Window Bourdontube Connection Movement Tri-clamp Diaphragm System filling Accuracy	stainless steel polished with fill plug stainless steel polished bayonet ring white aluminum with black markings black aluminum, adjustable Polycarbonate stainless steel stainless steel stainless steel 316, max Ra of 20uin laser welded stainless steel 316, max Ra of 20 uin pharmaceutical/food quality USP grade Glycerin 1.6 % for pressure ranges 60-600 psi, 2.0% for pressure ranges below 60 psi, vacuum and compound								
Execution									
Series	3A7621				3A7721				
Case size	2 1/2"		4"		2 1/2"		4"		
Tri Clamp Connection	1 1/2"	2"	1 1/2"	2"	1 1/2"	2"	1 1/2"	2"	
Scale	psi								
Unit Price in US \$	842.70		995.90		919.30		1072.50		
Article number	GW236A3Z		GW236A5Z		GV236A3Z		GV236A5Z		
-30"HG/0	000kb01	000kb02	-	000kb02	000kb01	000kb02	-	000kb02	
-30"HG/0/15 psi	201kb01	201kb02	-	201kb02	201kb01	201kb02	-	201kb02	
-30"HG/0/30 psi	203kb01	203kb02	-	203kb02	203kb01	203kb02	-	203kb02	
-30"HG/0/60 psi	205kb01	205kb02	205kb01	205kb02	205kb01	205kb02	205kb01	205kb02	
-30"HG/0/100 psi	208kb01	208kb02	208kb01	208kb02	208kb01	208kb02	208kb01	208kb02	
-30"HG/0/150 psi	210kb01	210kb02	210kb01	210kb02	210kb01	210kb02	210kb01	210kb02	
-30"HG/0/200 psi	212kb01	212kb02	212kb01	212kb02	212kb01	212kb02	212kb01	212kb02	
0-15 psi	301kb01	301kb02	-	301kb02	301kb01	301kb02	-	301kb02	
Unit Price in US \$	804.40		957.60		881.00		1034.20		
0-30 psi	303kb01	303kb02	-	303kb02	303kb01	303kb02	-	303kb02	
0-60 psi	306kb01	306kb02	306kb01	306kb02	306kb01	306kb02	306kb01	306kb02	
0-100 psi	309kb01	309kb02	309kb01	309kb02	309kb01	309kb02	309kb01	309kb02	
0-160 psi	312kb01	312kb02	312kb01	312kb02	312kb01	312kb02	312kb01	312kb02	
0-200 psi	314kb01	314kb02	314kb01	314kb02	314kb01	314kb02	314kb01	314kb02	
0-300 psi	317kb01	317kb02	317kb01	317kb02	317kb01	317kb02	317kb01	317kb02	
0-400 psi	319kb01	319kb02	319kb01	319kb02	319kb01	319kb02	319kb01	319kb02	
0-600 psi	321kb01	321kb02	321kb01	321kb02	321kb01	321kb02	321kb01	321kb02	






Economy Capsule Gauges



	Economy Capsule Gauges					
Series	2000					
Case	steel, black finish					
Bezel	none					
Dial	white aluminum with black markings					
Pointer	black aluminum					
Window	acrylic					
Capsule	brass					
Connection	brass					
Movement	brass					
Accuracy	1,6					
Ovrange protection	none					
Execution						
Series	2001			2004		
Case size	2 1/2"	4"	2 1/2"	4"		
Connection	1/4"npt					
Scale	see below					
Unit Price in US \$	117.00			117.00		
Article number	DD120A3E			DD120C3E		
0-15"H2O/mm	152kf			152kf		
0-30"H2O/mm	155kf			155kf		
0-60"H2O/mm	158kf			158kf		
0-100"H2O/mm	160kf			160kf		
0-160"H2O/mm	162kf			162kf		
0-200"H2O/mm	163kf			163kf		
Unit Price in US \$	117.00			117.00		
0-15"H2O/kpa	152kj			152kj		
0-30"H2O/kpa	155kj			155kj		
0-60"H2O/kpa	158kj			158kj		
0-100"H2O/kpa	160kj			160kj		
0-160"H2O/kpa	162kj			162kj		
0-200"H2O/kpa	163kj			163kj		
Unit Price in US \$	117.00			117.00		
0-15 oz/"H2O	155kk			155kk		
0-32 oz/"H2O	157kk			157kk		
0-60 oz/"H2O	160kk			160kk		
0-3 psi	159kb			159kb		
0-5 psi	161kb			161kb		
-15-0 "H2O/mm	102kf			102kf		
-30-0 "H2O/mm	105kf			105kf		
-60-0 "H2O/mm	108kf			108kf		
-100-0 "H2O/mm	110kf			110kf		
-160-0 "H2O/mm	112kf			112kf		






Industrial Capsule Gauges



	2510								
Series	2510								
Case	stainless steel								
Bezel	bayonet ring, stainless steel								
Dial	white aluminum with black markings								
Pointer	black aluminum								
Window	acrylic								
Capsule	brass								
Connection	brass								
Movement	brass								
Accuracy	1,6								
Overrange protection	10 times								
Execution									
Series	2511		2514		2512		2516		2517
Case size	2 1/2"	4"	2 1/2"	4"	2 1/2"	4"	2 1/2"	4"	2 1/2"
Connection	1/4"npt								
Scale	see below								
Unit Price in US \$	128.40	200.80	135.90	199.20	132.20	208.40	139.50	214.50	143.00
Article number	DD136A3E	DD136A5E	DD136C3E	DD136C5E	DD136B3E	DD136B5E	DD136D3E	DD136D5E	DD132F3E
0-15"H2O/mm	152kf	152kf	152kf	152kf	152kf	152kf	152kf	152kf	152kf
0-30"H2O/mm	155kf	155kf	155kf	155kf	155kf	155kf	155kf	155kf	155kf
0-60"H2O/mm	158kf	158kf	158kf	158kf	158kf	158kf	158kf	158kf	158kf
0-100"H2O/mm	160kf	160kf	160kf	160kf	160kf	160kf	160kf	160kf	160kf
0-160"H2O/mm	162kf	162kf	162kf	162kf	162kf	162kf	162kf	162kf	162kf
0-200"H2O/mm	163kf	163kf	163kf	163kf	163kf	163kf	163kf	163kf	163kf
Unit Price in US \$	128.40	200.80	135.90	199.20	132.20	208.40	139.50	214.50	143.00
0-15"H2O/kpa	152kj	152kj	152kj	152kj	152kj	152kj	152kj	152kj	152kj
0-30"H2O/kpa	155kj	155kj	155kj	155kj	155kj	155kj	155kj	155kj	155kj
0-60"H2O/kpa	158kj	158kj	158kj	158kj	158kj	158kj	158kj	158kj	158kj
0-100"H2O/kpa	160kj	160kj	160kj	160kj	160kj	160kj	160kj	160kj	160kj
0-160"H2O/kpa	162kj	162kj	162kj	162kj	162kj	162kj	162kj	162kj	162kj
0-200"H2O/kpa	163kj	163kj	163kj	163kj	163kj	163kj	163kj	163kj	163kj
Unit Price in US \$	128.40	200.80	135.90	199.20	132.20	208.40	139.50	214.50	143.00
0-15 oz/H2O	155kk	155kk	155kk	155kk	155kk	155kk	155kk	155kk	155kk
0-32 oz/H2O	157kk	157kk	157kk	157kk	157kk	157kk	157kk	157kk	157kk
0-60 oz/H2O	160kk	160kk	160kk	160kk	160kk	160kk	160kk	160kk	160kk
0-3 psi	159kb	159kb	159kb	159kb	159kb	159kb	159kb	159kb	159kb
0-5 psi	161kb	161kb	161kb	161kb	161kb	161kb	161kb	161kb	161kb
-15-0 "H2O/mm	102kf	102kf	102kf	102kf	102kf	102kf	102kf	102kf	102kf
-30-0 "H2O/mm	105kf	105kf	105kf	105kf	105kf	105kf	105kf	105kf	105kf
-60-0 "H2O/mm	108kf	108kf	108kf	108kf	108kf	108kf	108kf	108kf	108kf
-100-0 "H2O/mm	110kf	110kf	110kf	110kf	110kf	110kf	110kf	110kf	110kf
-160-0 "H2O/mm	112kf	112kf	112kf	112kf	112kf	112kf	112kf	112kf	112kf
Additional Price in US \$									


Industrial stainless steel Capsule Gauges



Series	2520								
Case	stainless steel								
Bezel	bayonet ring, stainless steel								
Dial	white aluminum with black markings								
Pointer	black aluminum								
Window	acrylic								
Capsule	stainless steel								
Connection	stainless steel								
Movement	stainless steel								
Accuracy	1,6								
Overrange protection	10 times								
Execution									
Series	2521		2524		2522		2526		2527
Case size	2 1/2"	4"	2 1/2"	4"	2 1/2"	4"	2 1/2"	4"	2 1/2"
Connection	1/4"npt								
Scale	see below								
Unit Price in US \$	545.90	740.80	561.50	764.20	584.80	818.80	584.80	811.00	623.80
Article number	DD236A3E	DD236A5E	DD236C3E	DD236C5E	DD236B3E	DD236B5E	DD236D3E	DD236D5E	DD232F3E
0-15"H2O/mm	152kf	152kf	152kf	152kf	152kf	152kf	152kf	152kf	152kf
0-30"H2O/mm	155kf	155kf	155kf	155kf	155kf	155kf	155kf	155kf	155kf
0-60"H2O/mm	158kf	158kf	158kf	158kf	158kf	158kf	158kf	158kf	158kf
0-100"H2O/mm	160kf	160kf	160kf	160kf	160kf	160kf	160kf	160kf	160kf
0-160"H2O/mm	162kf	162kf	162kf	162kf	162kf	162kf	162kf	162kf	162kf
0-200"H2O/mm	163kf	163kf	163kf	163kf	163kf	163kf	163kf	163kf	163kf
Unit Price in US \$	545.90	740.80	561.50	764.20	584.80	818.80	584.80	811.00	623.80
0-15"H2O/kpa	152kj	152kj	152kj	152kj	152kj	152kj	152kj	152kj	152kj
0-30"H2O/kpa	155kj	155kj	155kj	155kj	155kj	155kj	155kj	155kj	155kj
0-60"H2O/kpa	158kj	158kj	158kj	158kj	158kj	158kj	158kj	158kj	158kj
0-100"H2O/kpa	160kj	160kj	160kj	160kj	160kj	160kj	160kj	160kj	160kj
0-160"H2O/kpa	162kj	162kj	162kj	162kj	162kj	162kj	162kj	162kj	162kj
0-200"H2O/kpa	163kj	163kj	163kj	163kj	163kj	163kj	163kj	163kj	163kj
Unit Price in US \$	545.90	740.80	561.50	764.20	584.80	818.80	584.80	811.00	623.80
0-15 oz/H2O	155kk	155kk	155kk	155kk	155kk	155kk	155kk	155kk	155kk
0-32 oz/H2O	157kk	157kk	157kk	157kk	157kk	157kk	157kk	157kk	157kk
0-60 oz/H2O	160kk	160kk	160kk	160kk	160kk	160kk	160kk	160kk	160kk
0-3 psi	159kb	159kb	159kb	159kb	159kb	159kb	159kb	159kb	159kb
0-5 psi	161kb	161kb	161kb	161kb	161kb	161kb	161kb	161kb	161kb
-15-0 "H2O/mm	102kf	102kf	102kf	102kf	102kf	102kf	102kf	102kf	102kf
-30-0 "H2O/mm	105kf	105kf	105kf	105kf	105kf	105kf	105kf	105kf	105kf
-60-0 "H2O/mm	108kf	108kf	108kf	108kf	108kf	108kf	108kf	108kf	108kf
-100-0 "H2O/mm	110kf	110kf	110kf	110kf	110kf	110kf	110kf	110kf	110kf
-160-0 "H2O/mm	112kf	112kf	112kf	112kf	112kf	112kf	112kf	112kf	112kf
Additional Price in US \$									



Mechanical Diaphragm Pressure Gauges



Series	1520			
Case	stainless steel			
Bezel	bayonet ring, stainless steel			
Dial	white aluminum with black markings			
Pointer	black aluminum			
Window	safety Glass			
Diaphragm	stainless steel			
Connection	stainless steel			
Movement	stainless steel			
Overrange protection	5 x of span, max. 600 psi			
Accuracy	1,6			
Execution				
Series	1521			
Case size	4"		6"	
Connection	1/2" npt	1/2"NPT female	1/2" npt	1/2"NPT female
Scale	psi			
Unit Price in US \$	886.50	886.50	952.10	952.10
Article number	M181165	M181165	M181167	M181167
-30"HG/0	72000vb	82000vb	72000vb	82000vb
-30"HG/0/15 psi	72201vb	82201vb	72201vb	82201vb
-30"HG/0/30 psi	72203vb	82203vb	72203vb	82203vb
-30"HG/0/60 psi	72205vb	82205vb	72205vb	82205vb
-30"HG/0/100 psi	72208vb	82208vb	72208vb	82208vb
-30"HG/0/150 psi	72211vb	82211vb	72211vb	82211vb
-30"HG/0/200 psi	72212vb	82212vb	72212vb	82212vb
Unit Price in US \$	919.30	919.30	1037.50	1037.50
0-10 psi	72300vb	82300vb	72300vb	82300vb
0-15 psi	72301vb	82301vb	72301vb	82301vb
0-30 psi	72303vb	82303vb	72303vb	82303vb
0-60 psi	72306vb	82306vb	72306vb	82306vb
0-100 psi	72309vb	82309vb	72309vb	82309vb
0-160 psi	72312vb	82312vb	72312vb	82312vb
0-200 psi	72314vb	82314vb	72314vb	82314vb
0-300 psi	72317vb	82317vb	72317vb	82317vb
0-400 psi	72319vb	82319vb	72319vb	82319vb
0-600 psi	72321vb	82321vb	72321vb	82321vb
Unit Price in US \$	978.40	978.40	1103.20	1103.20
0-5"H2O	72150vm	82150vm	72150vm	82150vm
0-10"H2O	72151vm	82151vm	72151vm	82151vm
0-15"H2O	72152vm	82152vm	72152vm	82152vm
0-30"H2O	72155vm	82155vm	72155vm	82155vm
0-60"H2O	72158vm	82158vm	72158vm	82158vm
0-100"H2O	72160vm	82160vm	72160vm	82160vm
0-200"H2O	72163vm	82163vm	72163vm	82163vm
Additional Price in US \$				

Differential Pressure Gauges



Series	5510				5520			
Case	stainless steel				stainless steel			
Bezel	bayonet ring, stainless steel				bayonet ring, stainless steel			
Dial	white aluminum with black markings				white aluminum with black markings			
Pointer	black aluminum				black aluminum			
Window	acrylic				acrylic			
Bourdontube	phosforbronze				stainless steel			
Connection	brass, 2x with A and B Marked				stainless steel, 2x with A and B Marked			
Movement	brass				stainless steel			
Klasse	1,6				1,6			
Mounting option	backflange				backflange			
Execution								
Series	5512				5522			
Case size	6"							
Connection	2x1/2" npt with A and B marked							
Scale	psi							
Unit Price in US \$	2298.20		2298.20		2872.70		2872.70	
Article number	VD166B7E		VD166B7E		VD266B7E		VD266B7E	
Differential range	Max pressure over 270		Max pressure over 70		Max pressure over 270		Max pressure over 70	
0-15 psi	30 psi	301gb1	150 psi	301gb2	30 psi	301gb1	150 psi	301gb2
0-30 psi	60 psi	303gb1	300 psi	303gb2	60 psi	303gb1	300 psi	303gb2
0-60 psi	120 psi	306gb1	600 psi	306gb2	120 psi	306gb1	600 psi	306gb2
0-100 psi	200 psi	309gb1	1000 psi	309gb2	200 psi	309gb1	1000 psi	309gb2
0-160 psi	320 psi	312gb1	1600 psi	312gb2	320 psi	312gb1	1600 psi	312gb2
0-200 psi	400 psi	314gb1	2000 psi	314gb2	400 psi	314gb1	2000 psi	314gb2
0-300 psi	600 psi	317gb1	3000 psi	317gb2	600 psi	317gb1	3000 psi	317gb2
0-400 psi	800 psi	319gb1	4000 psi	319gb2	800 psi	319gb1	4000 psi	319gb2
0-600 psi	1200 psi	321gb1	6000 psi	321gb2	1200 psi	321gb1	6000 psi	321gb2
0-800 psi	1600 psi	322gb1	8000 psi	322gb2	1600 psi	322gb1	8000 psi	322gb2
0-1000 psi	2000 psi	323gb1	10000 psi	323gb2	2000 psi	323gb1	10000 psi	323gb2
Unit Price in US \$	2298.20				2872.70			
15/0/15 psi		303gb3				303gb3		
30/0/30 psi		306gb3				306gb3		
50/0/50 psi		309gb3				309gb3		
100/0/100 psi		314gb3				314gb3		
150/0/150 psi		317gb3				317gb3		
200/0/200 psi		319gb3				319gb3		
400/0/400 psi		322gb3				322gb3		
500/0/500 psi		323gb3				323gb3		
Additional Price in US \$								

Diaphragm Seals



Series	05-100					
Instrument connection	stainless steel aisi 316					
Diaphragm	stainless steel aisi 316					
Process connection	stainless steel aisi 316					
Series	05-100		05-150		05-170	
Max working pressure	15-500 psi		200-2500 psi		1000-6000 psi	
Instrument connection	1/4"npt	1/2"npt	1/4"npt	1/2"npt	1/4"npt	1/2"npt
Article number	O115011		O114011		O113311	
Unit Price in US \$	188.80	188.80	169.90	169.90	283.50	283.50
Process connection						
1/4"npt female	3421200	3421400	6421200	6421400	8421200	8421400
Unit Price in US \$	188.80	188.80	173.10	173.10	283.50	283.50
Process connection						
1/2"npt female	3821200	3821400	6821200	6821400	8821200	8821400
Unit Price in US \$	201.40	201.40	185.70	185.70	306.50	306.50
Process connection						
1/4"npt male	3321200	3321400	6321200	6321400	8321200	8321400
Unit Price in US \$	207.70	207.70	188.80	188.80	321.80	321.80
Process connection						
1/2"npt male	3721200	3721400	6721200	6721400	8721200	8721400
Unit Price in US \$	251.80	251.80	232.90	232.90	367.80	367.80
Process connection with flushing port						
1/4"npt female	34212001	34214001	64212001	64214001	84212001	84214001
Unit Price in US \$	321.80	321.80	298.80	298.80	390.70	390.70
Process connection with flushing port						
1/2"npt female	38212001	38214001	68212001	68214001	88212001	88214001
Unit Price in US \$	329.50	329.50	306.50	306.50	406.10	406.10
Process connection with flushing port						
1/4"npt male	33212001	33214001	63212001	63214001	83212001	83214001
Unit Price in US \$	329.50	329.50	306.50	306.50	406.10	406.10
Process connection with flushing port						
1/2"npt male	37212001	37214001	67212001	67214001	87212001	87214001
Unit Price in US \$	337.10	337.10	314.10	314.10	421.40	421.40

Diaphragm Seals



Series	05-200							
Instrument connection	stainless steel aisi 316							
Diaphragm	stainless steel aisi 316							
Process connection	stainless steel aisi 316							
Max working pressure	15-2500 psi							
Instrument connection	1/2" NPT							
Process connection	1/2" NPT female				1/2" NPT male			
Article number								
Unit Price in US \$	1072.50				1225.70			
	88214B				87214B			
Series	05-500							
Instrument connection	stainless steel aisi 316							
Diaphragm	stainless steel aisi 316							
Process connection	Flange connection to ANSI B 16.5				Flange connection to ANSI B 16.5			
Instrument connection	1/4" NPT				1/2" NPT			
	Size	Class	Article- Number O216511	Unit Price in US \$	Size	Class	Article- Number O216511	Unit Price in US \$
	1/2"	150	11113b	1034.20	1/2"	150	11114b	1034.20
	1/2"	300	21113b	1072.50	1/2"	300	21114b	1072.50
	1/2"	600	41113b	1110.80	1/2"	600	41114b	1110.80
	1/2"	1500	61113b	1302.30	1/2"	1500	61114b	1302.30
	3/4"	150	12113b	1072.50	3/4"	150	12114b	1072.50
	3/4"	300	22113b	1149.10	3/4"	300	22114b	1149.10
	3/4"	600	42113b	1187.40	3/4"	600	42114b	1187.40
	3/4"	1500	62113b	1302.30	3/4"	1500	62114b	1302.30
	1"	150	13113b	1225.70	1"	150	13114b	1225.70
	1"	300	23113b	1302.30	1"	300	23114b	1302.30
	1"	600	43113b	1378.90	1"	600	43114b	1378.90
	1"	1500	63113b	1532.10	1"	1500	63114b	1532.10
Additional Price in US \$								

Diaphragm Seals



Series	05-400							
Instrument connection	stainless steel aisi 316							
Diaphragm	stainless steel aisi 316							
Process connection	Flange connection to ANSI B 16.5							
Instrument connection	1/2"NPT							
	Size	Class	Article Number O334011		Unit Price in US \$			
	1/2"	150	1111400		842.70			
	1/2"	300	2111400		881.00			
	3/4"	150	1211400		919.30			
	3/4"	300	2211400		995.90			
	1"	150	1311400		1072.50			
	1"	300	2311400		1225.70			
	Size	Class	Article Number O335011		Unit Price in US \$			
	1 1/2"	150	1411400		995.90			
	1 1/2"	300	2411400		11950.40			
	1 1/2"	600	4411400		1378.90			
	1 1/2"	1500	6411400		1838.60			
	1 1/2"	2500	7411400		2298.20			
	Size	Class	Article Number O336011		Unit Price in US \$			
	2"	150	1511400		1838.60			
	2"	300	2511400		2145.00			
	2"	600	4511400		2451.40			
	2"	1500	6511400		2872.70			
	2"	2500	7511400		3255.80			
	Size	Class	Article Number O336011		Unit Price in US \$			
	3"	150	1711400		2221.60			
	3"	300	2711400		2528.00			
	3"	600	4711400		3217.50			
	3"	900	5711400		3983.50			
	3"	1500	6711400		4519.70			
	3"	2500	7711400		5362.40			

Diaphragm Seals

Series	05-700							
Instrument connection	stainless steel aisi 316							
Diaphragm	stainless steel aisi 316							
Quick connection	Clamp				Clamp			
Instrument connection	1/4"npt				1/2"npt			
Series	05-750				05-750			
	Size	class	Article Number O51	Unit Price in US \$	size	class	Article Number O51	Unit Price in US \$
	1 1/2"	40	331144002	472.00	1 1/2"	40	331144004	490.90
	2"	40	401145002	534.90	2"	40	401145004	553.80

Snubber



Series	06-300 adjustable		06-310 Cintered element			
Body	brass	stainless steel	brass	stainless steel		
Pressure rating	3000 psi	6000 psi	5000 psi	10000 psi		
Temperature range	max. 250 °F					
O-ring	Perbunan	Viton				
Instrument connection	1/2"NPT	1/2"NPT	1/4"npt	1/2"npt	1/4"npt	1/2"npt
Proces Connection	1/2"NPT	1/2"NPT	1/4"npt	1/2"npt	1/4"npt	1/2"npt
Unit Price in US \$	153.30	260.50	63.00	75.60	125.90	138.50
Article number	AD182721	AD282722	AC142322	AC182722	AC242322	AC282722

Siphons

Series	06-400			
Material	steel		stainless steel	
Form	Pig tail		Pig tail	
Instrument connection	1/2"npt			
Process connection	1/2"npt	weld	1/2"npt	weld
Unit Price in US \$	137.90	122.60	375.40	314.10
Article number	ASC38171	ASD38100	ASC28171	ASD28100

Overrangeprotector

Series	06-500			
Body	brass		stainless steel	
Overrangeprotection	8500 psi		15000 psi	
Connection	1/2"NPT		1/2"NPT	
Predetermined pressure range	Article number	Unit Price in US \$	Article number	Unit Price in US \$
6-35 psi	AO1211	628.20	AO2221	1225.70
30-85 psi	AO1212	574.60	AO2222	1149.10
70-350 psi	AO1213	574.60	AO2223	1149.10
300-850 psi	AO1214	574.60	AO2224	1149.10
700-3500 psi	AO1215	574.60	AO2225	1149.10
3200-6000 psi	AO1216	574.60	AO2226	1149.10

Protection Sleeves



Series	06-800				
Execution	Open, for bottom and back connection				
	Material	Color	diameter	Article number	Unit Price in US \$
	Rubber	red	2 1/2"	AB3OR	15.40
	Rubber	blue	2 1/2"	AB3OB	15.40
	Rubber	blue	4"	AB5OB	53.70
	Rubber	black	4"	AB5OZ	53.70
	Maximum slip pointer				
Fitting case size	1 1/2"	2"	2 1/2"	4"	6"
Execution					
Dry version	23.00	23.00	24.60	32.20	53.70
Liquid filled version	38.40	38.40	42.20	61.30	92.00
	ANSI Frontflange		Panel Ring		
Fitting case size	2 1/2"		2 "	2 1/2"	
Material					
stainless steel	15.40		7.70	7.70	
	Electrical Contacts				
Fitting case size	4"		6"		
Contact Typ					
M1 single make contact	919.30		1072.50		
M2 single break contact	934.60		1110.80		
M3 single change over contact	1072.50		1417.20		
M11 double make/make contact	1034.20		1340.60		
M12 double make/break contact	1034.20		1340.60		
M21 double break/make contact	1034.20		1340.60		
M22 double break/break contact	1034.20		1340.60		
M33 double change over contact	1455.50		1762.00		

Tridicator



Series		4100										
Case	steel, black finish											
Bezel	crimped, black aluminum											
Dial	aluminum, white with black markings											
Pointer	Aluminum, black											
Window	Synthetic											
Bourdontube	phosforbronze											
Temperature element	Bimetal											
Connection	brass											
Movement	brass											
Accuracy	2,5											
Execution												
Series	4101					4104						
Case	3 1/4"					2 1/2"	3 1/4"	2 1/2"	3 1/4"	3 1/4"	2 1/2"	3 1/4"
Connection	1/4"npt	1/2"npt	1/2"npt self closing valve	1/4" npt short		1/4"npt long		1/2"npt	1/2"npt self closing valve			
Scale	70-320 °F / psi / ft H2O											
Article Number	HD11A4B	HD11A4H	HD11A4D	HD11C3B	HD11C4B	HD11C3C	HD11C4C	HD11C4H	HD11C3D	HD11C4D		
Unit Price in US \$	52.60	59.10	62.40	26.30	29.60	31.60	34.20	39.40	42.70	44.00		
	Stem 10	Stem 50	Stem 60	Stem 10	Stem 10	Stem 30	Stem 30	Stem 50	Stem 60	Stem 60		
0-75 psi / ft H2O	52i24L	52i28L	52i22L	52i24L	52i24L	52i24L	52i24L	52i18L	52i22L	52i22L		
0-100 psi / ft H2O	72i24L	72i28L	72i22L	72i24L	72i24L	72i24L	72i24L	72i18L	72i22L	72i22L		
0-200 psi / ft H2O	C2i24L	C2i28L	C2i22L	C2i24L	C2i24L	C2i24L	C2i24L	C2i18L	C2i22L	C2i22L		
Unit Price in US \$	54.50	59.10	0.00	29.60	34.90	32.90	36.20	42.10				
	Stem 20	Stem 70		Stem 20	Stem 20	Stem 40	Stem 40	Stem 70				
0-75 psi / ft H2O	52i56L	52i51L		52i56L	52i56L	52i41L	52i41L	52i51L				
0-100 psi / ft H2O	72i56L	72i51L		72i56L	72i56L	72i41L	72i41L	72i51L				
0-200 psi / ft H2O	C2i56L	C2i51L		C2i56L	C2i56L	C2i41L	C2i41L	C2i51L				
Unit Price in US \$								44.00				
								Stem 80				
0-75 psi / ft H2O								52i67L				
0-100 psi / ft H2O								72i67L				
0-200 psi / ft H2O								C2i67L				
Additional Price in US \$												
Individually packing												
Bezel, stainless steel polished												

Bimetal thermometer



	Bimetal thermometer						
Series	4004						
Case	steel, black finish						
Bezel	crimped, black aluminum						
Dial	aluminum, white with black markings						
Pointer	Aluminum, black						
Window	Synthetic						
Temperature element	Bimetal						
Connection	brass, thermowell R 1/2" A						
Execution							
Series	4004			4004			
Case	2 1/2"	3 1/4"	4"	2 1/2"	3 1/4"	4"	
Connection	1/2" npt			Solder fitting			
Scale	°C/°F			°C/°F			
Article Number	BD12C3KB	BD12C4KB	BD12C5KB	BD12C3SB	BD12C4SB	BD12C5SB	
Unit Price in US \$	25.20	26.50	27.10	25.80	27.10	27.70	
	L = 1 1/2"						
120 °C / 32-248 °F	845518	845518	845518	845518	845518	845518	
Unit Price in US \$	30.30	32.10	33.40				
	L = 2 1/2"						
120 °C / 32-248 °F	836518	836518	836518				
Unit Price in US \$	32.80	34.70	35.90				
	L = 4"						
120 °C / 32-248 °F	80a518	80a518	80a518				
Additional Price in US \$							
Bezel, stainless steel polished							